HUMA®

FULVI PRO®

. 10.0%

INSTRUCTIONS

PREPARATION: Shake well before use. Can be applied in combination with compatible plant growth regulators, pesticides, or other liquid fertilizers. If compatibility is in question, jar test a small quantity. Do not foliarly apply this product in concentrations greater than 10% without a preliminary foliar test.

APPLICATION: Designed for foliar and soil application. This product adds naturally occurring materials containing fulvic acids that may enhance plant nutrient availability and uptake. It should be applied when tissue and soil analysis identify the need and proper rate of application. Can be applied to all crops. The best results will be obtained when application is concentrated in the active root zone or on the plant surface. Apply foliar sprays with sufficient water to ensure uniform coverage without running off leaf surfaces. Soil moisture is required for maximum bioactivity: if soil is dry, moisture should be provided by irrigation. Full label rates can be applied as often as every 15–30 days, as needed.

CONDITIONS: Do not apply nutrients during the hottest time of the day or to plants under drought or flood stress. Application timing, intervals, and rates may vary according to individual plant requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the plants.

CONSULT: Consult your local Huma® Representative or qualified individual/institution for use-specific recommendations.

STORAGE & DISPOSAL: Do not store this product below 50°F (10°C) or above 90°F (30°C). Keep product in original container. Do not transfer into food or drink containers. Triple rinse container when empty for recycling. Always dispose of container in accordance with local, state, and/or federal regulations.

DISCLAIMER: This product is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by plants.

GUARANTEED ANALYSIS

CONTAINS BENEFICIAL SUBSTANCES: Total Fulvic Acid (FA)

Analysis using the V&B (Verploegh and Brandvoid) Method.

Derived from leonardite.

SHAKE WELL BEFORE USE

Do not foliarly apply this product in concentrations greater than 10% without a preliminary foliar test.

Full label rates can be applied as often as every 15 to 30 days, as needed.

APPLICATION

	METHOD	SUGGESTED RATE		
		Field Crops, Sod, and Specialty Crops		Tree or Vine Crops
	Foliar band application at 50% coverage	Up to 1 qt/ac, 2.5 L/ha	-	-
	Foliar broadcast or sprinklers: solid, set, linear, pivot (100% speed)	Up to 2 qt/ac, 5 L/ha	Up to 3 oz/1000 ft ² 105 mL/100 m ²	Up to 1 gal/ac, 10 L/ha
	Soil banded or injected through drip tape or micro sprinklers	Up to 2 qt/ac, 5 L/ha	Up to 3 oz/1000 ft ² 105 mL/100 m ²	Up to 1 gal/ac, 10 L/ha
	Soil broadcast spray incorporated, flood or furrow irrigated	Up to 1 gal/ac, 10 L/ha	Up to 6 oz/1000 ft ² 210 mL/100 m ²	Up to 2 gal/ac, 20 L/ha
	Mixed in liquid fertilizer solution	Up to 2 qt/40 gallons of liquid Up to 2 L/160 liters of liquid		

SAFETY

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.aapfco.org/metals.html

The vapors, mists, and liquid may cause severe irritation or burns to all tissues contacted.

CLASSIFICATION: CATEGORY 1A - SKIN CORROSION

SIGNAL WORD: DANGER HAZARD STATEMENT: H314 Causes severe skin burns and eye damage.



PRECAUTIONARY STATEMENT: P260 Do not breathe dusts/mist/vapors; P280 Wear protective gloves/ protective clothing/eye protection/face protection; P264 Wash hands thoroughly after handling.

PRODUCT CHARACTERISTICS: A clear to slightly hazy, amber liquid having a slight characteristic odor. The color, pH, specific gravity, as well as the smell, can vary. Variations may occur due to changes in temperature, atmospheric pressure, weather conditions, and/or exposure to light from when the product leaves the factory until it reaches the final consumer.

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant and soil conditions, and other factors are beyond the control of the seller.

9.10 lb per gallon @ 68°F. 1.09 kg per liter @ 20°C. pH 1.5-2.5

2.5 gallons • Net Wt. 22.75 lb 9.46 liters • Net Wt. 10.31 kg Lot No. 12345678

Guaranteed by Huma, Inc. 1331 W. Houston Ave., Gilbert, AZ 85233 480,961.1220 © 2024 F003537 Publication No. HP&S-620-240627

huma.us