


# HUMA® SAFETY DATA SHEET K HUME® OM

**REV E 8/8/2023** 

HMIS		
HEALTH	1	
FLAMMABILITY	0	
PHYSICAL HAZARD	0	
PPE	E	

(In the USA) 800-424-9300

(International) 703-527-3887



SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION			
PRODUCT IDENTIFIER:	K HUME® OM	Product #649	
GENERAL USE:	Used as a part of a plant nutrition program.		
PRODUCT DESCRIPTION:	A dark reddish brown to black particles/dust having no	odor.	
SUPPLIER INFORMATION:	Huma®, Inc. 1331 W Houston Avenue Gilbert, AZ 85233	EMERGENCY PHONE NUMBERS	

**SECTION 2: HAZARDS IDENTIFICATION** 

**HAZARDS** OVERVIEW:

For Additional SDS call:

(480) 961-1220

A dark reddish brown to black particles/dust having no odor. Ingestion of this product may cause gastrointestinal irritation or pain. Inhalation of dust may cause respiratory irritation.

**CHEMTREC:** 

**CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3** 

**SIGNAL WORD: WARNING** 

PHONE: (480) 961-1220

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.

**CLASSIFICATION: RESPIRATORY TRACT IRRITATION- HAZARD CATEGORY 3** 

**SIGNAL WORD: WARNING** 

**HAZARD STATEMENT:** H335; May cause respiratory irritation.

PRECAUTIONARY STATEMENT: P261, P271; Avoid breathing dust. Use only outdoors or in a well-ventilated area. P304+P340, P319; IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get

medical help if you feel unwell.

**CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED** 

**SIGNAL WORD: WARNING** 

**HAZARD STATEMENT:** H303 - WARNING - may be harmful if swallowed.

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help.

## **SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS**

				ACG	SIH	OS	HA
COMPONENT	CAS#	OSHA HAZARD	<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL
Potassium Humate	68514-28-3	Nuisance dust	100%	None	None	5mg/m3 (respirable)	None

NDA = No Data Available N/A = Not Applicable

## **SECTION 4: FIRST AID MEASURES**

**INHALATION:** If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If

breathing is difficult, give oxygen. Call a physician.

**EYE CONTACT:** In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

SKIN CONTACT: In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash

before reuse. If irritation occurs and persists, get medical attention.

INGESTION: If swallowed, rinse mouth and slowly drink 1 to 2 glasses of water. Never give anything by mouth to an unconscious

person.

**NOTE TO** 

Treat exposure symptomatically.

PHYSICIANS:

# **SECTION 5: FIRE FIGHTING MEASURES**

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Not applicable Upper:

**Autoignition Temperature:** Not applicable

The Uniform Fire Code health hazard classification for this product is: Irritant. GENERAL HAZARD:

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water, foam, CO<sub>2</sub> or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon

dioxide.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:

This material/product is naturally occurring and if spilled does not pose a risk to the environment.

**RELEASE TO** 

This material/product is naturally occurring and if spilled does not pose a risk to the environment.

WATER:

## **SECTION 7: HANDLING AND STORAGE**

STORAGE TEMPERATURE: **Ambient** STORAGE PRESSURE: Ambient

**GENERAL:** 

Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Avoid breathing dusts. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after

handling this product.

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining dust emissions, in the work

**MEASURES:** area, above the AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use produces dusts that may cause irritation, a NIOSH approved

half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. **Note:** Always consult the respirator manufacturer's data when determining the suitability of

respiratory protective devices prior to use.

EYES: Wear safety glasses as needed. Note: Always consult the protective eyewear manufacturer's data when

determining the suitability of protective eyewear prior to use.

GLOVES: Use Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

**CLOTHING &**Wear protective clothing as needed when handling this product. An eye wash station and safety shower should be **EQUIPMENT:**available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when

determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear steel-toed safety shoes as needed. Note: Always consult the footwear manufacturer's permeation data when

determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Dark reddish brown to black	Bulk Density (pounds/ft³):	47-48lb/ft <sup>3</sup>		
Physical State:	Solid	Vapor Pressure:	No data available		
Odor:	No odor	Vapor Density (air=1):	No data available		
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Not applicable		
Molecular Formula:	No data available	VOC Content/Organic Matter:	No data available		
Molecular Weight:	No data available	% Volatile:	Not applicable		
Boiling Point:	Not applicable	Solubility in H₂O:	Slightly soluble		
Freezing/Melting Point:	Not applicable	Octanol/Water Partition Coefficient:	No data available		
Specific Gravity:	Not applicable	pH (as is):	Not applicable		
Density (pounds/gallon):	Not applicable	pH (1% solution):	Not applicable		

# **SECTION 10: STABILITY AND REACTIVITY**

**GENERAL:** This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Avoid creation/accumulation of dust

**INCOMPATIBLE MATERIAL:** Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, toxic oxides of carbon with trace or

ultra-trace toxic oxide amounts, of sulfur, potassium, iron, manganese, magnesium,

calcium, zinc and sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Components: <u>Potassium Humate</u>

Eye Contact: May cause slight irritation

Skin Contact: May cause slight irritation

Oral Rat LD<sub>50</sub>: Non-toxic naturally occurring substance

Dermal Rabbit LD<sub>50</sub>: No data available Inhalation Rat LC<sub>50</sub>: No data available Human Data: No data available Other Toxicological Data: No data available Carcinogenicity: No data available Teratogenicity: No data available Mutagenicity: No data available

Target Organs: Skin

**Medical Conditions** 

Synergistic Products:

Aggravated By Exposure: Skin or Respiratory disorders

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **ENVIRONMENTAL FATE:**

This product is soluble in water and will not affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

None reported

## SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

# **SECTION 14: TRANSPORTATION INFORMATION**

DOT PROPER SHIPPING NAME: Not DOT Regulated (United States)

Hazard Class: Not applicable UN Number: N/A Packing Group: N/A

Primary Label: Not applicable Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not Listed RQ for Product: Not Applicable

Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED

Hazard Class: Not applicable UN Number: N/A Packing Group: N/A

Primary Label: None Required Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None required

TDG Reportable Quantity (RQ): \* Not applicable
TDG Schedule XII: Not applicable

Regulated Limit (RL): \*\* Not Listed RL for Product: Not Applicable

Other Shipping Information: None

<sup>\*</sup> Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

# **SECTION 15: REGULATORY INFORMATION**

COMPONENTS: Potassium Humate

OSHA Target Organs: Eyes and Lungs

Carcinogenic Potential:

Regulated by OSHA: No
Listed on NTP Report: No
Listed by IARC: No

IARC Group:

ACGIH Appendix A:

A1 Confirmed Human:

A2 Suspected Human:

Not applicable

Not applicable

# U.S. EPA Requirements

Release Reporting
CERCLA (40 CFR 302)

**Listed Substance:** Not listed Reportable Quantity: Not applicable Category: Not applicable RCRA Waste No.: Not applicable **Unlisted Substance:** Not applicable Reportable Quantity: Not applicable Characteristic: Not applicable RCRA Waste No.: Not applicable

### **SARA TITLE III**

Section 302 & 303 (40 CFR 355):

Listed Substance: Not listed
Reportable Quantity: Not applicable
Planning Threshold: Not applicable

Section 311 & 312 (40 CFR

370):

Planning threshold: NA

Section 313 (40 CFR 372):

Listed Toxic Chemical: No Reporting Threshold: NA

**U.S. TSCA Status** 

Listed (40 CFR 710): No

# State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No Reproductive Toxin: No

Other Regulations

State Right To Know Laws: None Known

## Canadian Regulations

**Product Information:** 

Controlled Product:

WHMIS Hazard Symbols:

WHMIS Class & Division:

NA

Ingredient Information:

IDL Substance: No DSL or NDSL Lists: None

# **SECTION 16: OTHER INFORMATION**

**EPA Registration number:** Not applicable

**Approved Product Uses:** Used as part of a plant nutrition program.

## **Special Notes:**

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

**Special Instructions:** Store K HUME<sup>®</sup> OM in a cool, dry, well ventilated, area away from incompatible materials and products. Do not add this product to strong oxidizers.

**SDS Revision Information:** Revised Date: 8/8/2023

SDS Distributed by: Huma®, Inc.

Prepared By: Anna Carpenter Date Prepared: August 28<sup>th</sup> 2018

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma<sup>®</sup>, Inc. assumes legal liability. While Huma<sup>®</sup>, Inc believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.