


SAFETY DATA SHEET Manganese



| HMIS | | | |
|-----------------|---|--|--|
| HEALTH | 2 | | |
| FLAMMABILITY | 0 | | |
| PHYSICAL HAZARD | 0 | | |
| PPE | В | | |

| SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION | | | | | |
|--|--|-------------------------|--|--|--|
| PRODUCT IDENTIFIER: | Manganese | Product# 090 | | | |
| GENERAL USE: | Used as a part of a plant nutrition program. | | | | |
| PRODUCT DESCRIPTION: | A clear, light pink liquid having a characteristic odor. | | | | |
| SUPPLIER INFORMATION: | Huma, Inc. | EMEDGENCY DHONE NUMBERS | | | |

1331 W Houston Avenue Gilbert, AZ 85233

For Additional SDS call: PHONE: (480) 961-1220 EMERGENCY PHONE NUMBERS

CHEMTREC:

(In the USA) 800-424-9300 (International) 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW: A clear, light pink, liquid having a characteristic odor. The liquid and mists may cause irritation to the eyes, skin and respiratory tract. This product may be toxic by ingestion or inhalation of high mist concentrations.

The NIOSH I.D.L.H. for Manganese compounds is: 500 mg/m³ (as Mn).

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING - may be harmful if swallowed.

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

| 7-7 Eye, Skin & Respiratory Irritant Central Nervous System toxin; Moderately Toxic by Ingestion | WT % | TLV _(TWA) 0.2 mg/m ³ | None | PEL _(TWA) | STEL None |
|--|--------------------------------------|---|---------------------|--------------------------------|---------------------|
| Central Nervous System toxin; | 19 ± 3 | 0.2 mg/m ³ | None | None | None |
| Moderately Toxic by Ingestion | | | | | |
| Moderately Toxic by Ingestion | | Proposed: 0.02 mg/m³ Respirable fraction | | Ceiling 5 mg/m ³ | |
| 5-5 Eye, Skin & Respiratory Irritant | 9 ± 2 | None | None | None | None |
| | 5-5 Eye, Skin & Respiratory Irritant | 5-5 Eye, Skin & Respiratory Irritant 9 ± 2 | Respirable fraction | Respirable fraction | Respirable fraction |

SECTION 4: FIRST AID MEASURES

If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If **INHALATION:**

breathing is difficult, give oxygen. Call a physician.

In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper **EYE CONTACT:**

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash SKIN CONTACT:

before reuse. If irritation occurs and persists, get medical attention.

If swallowed, get medical attention immediately. DO NOT induce vomiting unless directed to do so by medical INGESTION:

personnel. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS:

Based on component information, this product may be slightly to moderately toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an

endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Upper: Not applicable

Autoignition Temperature: Not applicable

GENERAL HAZARD: This product is an aqueous solution of inorganic and organic salts that are in a moderately acidic solution. The

Uniform Fire Code health hazard classification for this product is: Irritant. This product may produce hazardous

mists or hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water, foam, CO₂ or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, carbon monoxide,

> carbon dioxide, manganese oxide, nitrogen oxides and sulfur oxides with trace or ultratrace toxic oxide amounts of phosphorus, potassium, iron, magnesium, zinc, calcium and

sodium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using sodium bicarbonate, limestone, or other agent appropriate for neutralizing acidic liquids, that will not release Ammonia gas. Flush the spill area with

water; collect the rinsates for disposal or sewer, as appropriate.

RELEASE TO

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert WATER:

water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream

users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE: STORAGE PRESSURE: Ambient Ambient

GENERAL: Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes,

on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed

when not in use. Wash thoroughly after handling this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,

MEASURES: below the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSH-approved

full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory

protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always

consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to

use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

CLOTHING &Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the

product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to

use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

| SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES | | | | | |
|---|--------------------------------|---------------------------------------|-------------------|--|--|
| Appearance: | Clear, light pink | Bulk Density (pounds/ft³): | Not applicable | | |
| Physical State: | Liquid | Vapor Pressure: | No data available | | |
| Odor: | Characteristic | Vapor Density (air=1): | No data available | | |
| Odor Threshold: | Not determined | Evaporation Rate (n-Butyl Acetate=1): | No data available | | |
| Molecular Formula: | Mixture | VOC Content / Organic Matter: | Nil / 4.5% | | |
| Molecular Weight: | Not applicable | % Volatile: | No data available | | |
| Boiling Point: | Greater than 100° C. (212° F.) | Solubility in H₂O: | Complete | | |
| Freezing/Melting Point: | Less than 0° C. (32° F.) | Octanol/Water Partition Coefficient: | No data available | | |
| Specific Gravity: | 1.24 @ 20° C. | pH (as is): | 1.0 - 2.0 | | |
| Density (pounds/gallon): | Approximately 10.35 | pH (1% solution): | No data available | | |

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Contact with caustics & alkali, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, toxic oxides

of carbon, manganese, nitrogen and sulfur with trace or ultra-trace toxic oxide

amounts of phosphorus, potassium, iron, magnesium, zinc, calcium and sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Manganese Sulfate **Diammonium Citrate** Components:

Eye Contact: No data available No data available **Skin Contact:** No data available No data available Oral Rat LD50: 2,150 mg/kg No data available Dermal Rabbit LD₅₀: No data available No data available Inhalation Rat LC₅₀: No data available No data available **Human Data:** No data available No data available

Other Toxicological Data: Oral Mouse LD₅₀: 2,330 mg/kg Intravenous Mouse LD₅₀: 331 mg/kg

Intraperitoneal Mouse TD_{Lo}: 660 mg/kg/8 Weeks; Carcinogenicity: No data available

Tumorigenic - Neoplastic by RTECS criteria

Intraperitoneal Mouse TD_{Lo}: 34,356 ug/kg; (female 10 Teratogenicity:

Days pregnant) Post-implantation mortality

Bacteria B Subtilis DNA Repair: 50 mmol/ Liter No data available

Mutagenicity: Synergistic Products: None reported None reported **Target Organs:** Eyes, Skin, Lungs & Central Nervous Systems Eyes, Skin & Lungs

Medical Conditions

Skin or Respiratory disorders Skin or Respiratory disorders Aggravated By Exposure:

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and may slightly affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

> If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not DOT Regulated

> **UN Number: Hazard Class:** Packing Group: N/A N/A

No data available

Primary Label: None Subsidiary Label(s): None

Primary/Subsidiary Placards:

DOT Reportable Quantity (RQ): Not listed RQ for Product: Not applicable

Marine Pollutant: Nο

2012 North American Emergency Response Guidebook No.: N/A

TDG PROPER SHIPPING NAME: NOT RESTRICTED

> **Hazard Class: UN Number:** Packing Group: N/A None

Primary Label: None Subsidiary Label(s):

Primary/Subsidiary Placards:

TDG Reportable Quantity (RQ): * Not applicable **TDG Schedule XII:** Not listed

Regulated Limit (RL): ** **RL for Product:** Not listed

Other Shipping Information: None

Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: <u>Manganese Sulfate</u> <u>Diammonium Citrate</u>

OSHA Target Organs: Eyes, Skin, Lungs & Central Eye

Nervous Systems

Eyes, Skin & Lungs

Carcinogenic Potential:

Regulated by OSHA:NoNoListed on NTP Report:NoNoListed by IARC:NoNo

IARC Group:

ACGIH Appendix A:

A1 Confirmed Human:

A2 Suspected Human:

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance: Yes (Manganese Yes

Compounds)

Reportable Quantity: 1 pound 5,000 pounds

Category: Not listed

RCRA Waste No.:

Unlisted Substance:
Reportable Quantity:
Characteristic:
RCRA Waste No.:

Not listed
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
RCRA Waste No.:

Not applicable
Not applicable

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedNot listedReportable Quantity:Not applicableNot applicablePlanning Threshold:Not applicableNot applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): Fire: N Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N

Planning threshold: 10,000 pounds 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Yes (Manganese Category) Yes (Aqua Ammonium Salts)

Reporting Threshold: 10,000 pounds 10,000 pounds

U.S. TSCA Status

Listed (40 CFR 710): Yes Yes

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No No No Reproductive Toxin: No No No

Other Regulations

State Right To Know Laws: None known

Canadian Regulations

Product Information:

Controlled Product: Yes

WHMIS Hazard Symbols: Material Causing Other Toxic Effects

WHMIS Class & Division: D.2B

Ingredient Information:

IDL Substance: Yes No
DSL or NDSL Lists: DSL DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as a part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions:

When making dilutions, always add Manganese to water, or aqueous solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers, or chlorinated cleaners as this can liberate toxic, corrosive Chlorine gas.

SDS Revision Information: Revision Date: 8/21/2023

SDS Distributed by: Huma, Inc.

Prepared By: Anna Carpenter Date Prepared: October 20, 2014

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.