


**HUMA**<sup>®</sup>**SAFETY DATA SHEET**  
**Max Pak**<sup>®</sup>

HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	D

**SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION**

<b>PRODUCT</b>	<b>Max Pak</b> <sup>®</sup>	<b>Product# 292</b>
<b>GENERAL USE:</b>	Used as a part of a plant nutrition program.	
<b>PRODUCT DESCRIPTION:</b>	A clear to slightly hazy, dark green liquid having a sweet citrus type odor.	
<b>SUPPLIER INFORMATION:</b>	Huma, Inc. 1331 W Houston Avenue Gilbert, AZ 85233	<b>EMERGENCY PHONE NUMBERS</b>
<b>For Additional SDS call:</b>	<b>PHONE: (480) 961-1220</b>	<b>CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887</b>

**SECTION 2: HAZARDS IDENTIFICATION****HAZARDS OVERVIEW:**

A clear to slightly hazy, dark green, liquid having a sweet citrus type odor. The liquid and mists may cause irritation to the eyes, skin and respiratory tract. This product can be toxic by ingestion or inhalation of high mist concentrations. **The NIOSH I.D.L.H. for Manganese compounds is: 500 mg/m<sup>3</sup> (as Mn).**

**CLASSIFICATION:** HAZARD CATEGORY 2**SIGNAL WORD:** N/A**HAZARD STATEMENT:** H411; Toxic to aquatic life with long lasting effects.**PREVENTION:** P273; Avoid release to the environment if this is not the intended use; P391; Collect spillage; P501; Dispose of contents/containers in accordance with federal, state and local laws regulating fertilizers.**CLASSIFICATION:** MILD SKIN IRRITATION – HAZARD CATEGORY 3**SIGNAL WORD:** WARNING**HAZARD STATEMENT:** H316 - WARNING - causes mild skin irritation.**PRECAUTIONARY STATEMENT:** P332+P317—If skin irritation occurs, get emergency medical help.**CLASSIFICATION:** HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED**SIGNAL WORD:** WARNING**HAZARD STATEMENT:** H303 - WARNING – may be harmful if swallowed.**PRECAUTIONARY STATEMENT:** P301+P317—If swallowed, get emergency medical help.**SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS**

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV <sub>(TWA)</sub>	STEL	PEL <sub>(TWA)</sub>	STEL
Ferrous Sulfate	007720-78-7	Eye Corrosive; Skin, & Respiratory Irritant; Moderately Toxic by Ingestion	8 ± 1	1 mg/m <sup>3</sup> (as Fe)	None	None	None
Zinc Sulfate	7733-02-0	Eye, Skin & Respiratory Irritant; Cardiovascular, ; Blood & Central Nervous System toxin	7 ± 1	None	None	None	None
Proprietary Organic Acid	Trade Secret	Severe Eye Irritant; Moderate to Severe Skin & Respiratory Irritant	5 ± 1	None	None	None	None
Boric Acid	10043-35-3	Eye, Skin & Respiratory Irritant; Toxic by Ingestion; Kidney, Gastrointestinal & Central Nervous Systems toxin	3.5 ± 1	2 mg/m <sup>3</sup> Inhalable Fraction	6 mg/m <sup>3</sup> Inhalable Fraction	None	None
Copper Sulfate (Cupric Sulfate per DOT)	7758-98-7	Eye, Skin & Respiratory Irritant; Blood, Liver & Kidney toxin	3.5 ± 1	1 mg/m <sup>3</sup> (Dusts & Mists as Cu)	None	None	None
Manganese Sulfate	7785-87-7	Eye, Skin & Respiratory Irritant; Central Nervous System toxin; Moderately toxic by Ingestion	3 ± 1	0.2 mg/m <sup>3</sup> Proposed: 0.02 mg/m <sup>3</sup> Respirable fraction	None	Ceiling 5 mg/m <sup>3</sup>	None

NDA = No Data Available      N/A = Not Applicable

#### SECTION 4: FIRST AID MEASURES

<b>INHALATION:</b>	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
<b>EYE CONTACT:</b>	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
<b>SKIN CONTACT:</b>	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
<b>INGESTION:</b>	If swallowed, get medical attention immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
<b>NOTE TO PHYSICIANS:</b>	Based on component information, this product may be slightly to moderately toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

#### SECTION 5: FIRE FIGHTING MEASURES

<b>Flashpoint and Method:</b>	This product does not flash.		
<b>Flammable Limits (in air, % by volume)</b>	<b>Lower:</b> Not applicable	<b>Upper:</b> Not applicable	
<b>Autoignition Temperature:</b>	Not Determined		
<b>GENERAL HAZARD:</b>	This product is an aqueous solution of inorganic salts, an organic acid, and other organic and inorganic plant nutrients, that are in an acidic solution. The Uniform Fire Code health hazard classification for this product is: <b>Irritant</b> . This product may produce hazardous mists or hazardous decomposition products.		
<b>FIRE FIGHTING INSTRUCTIONS:</b>	<b>EXTINGUISHING MEDIA:</b> Water, foam, CO <sub>2</sub> or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.		
<b>FIRE FIGHTING EQUIPMENT:</b>	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
<b>HAZARDOUS COMBUSTION PRODUCTS:</b>	When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon dioxide, zinc, manganese, iron and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and sodium plus irritating smoke.		

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>RELEASE TO LAND:</b>	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
<b>RELEASE TO WATER:</b>	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

#### SECTION 7: HANDLING AND STORAGE

<b>STORAGE TEMPERATURE:</b>	Ambient	<b>STORAGE PRESSURE:</b>	Ambient
<b>GENERAL:</b>	Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes, on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**CONTROL MEASURES:** Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

### RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATOR:** For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

**EYES:** Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

**GLOVES:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

**CLOTHING & EQUIPMENT:** Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

**FOOTWEAR:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Clear to slightly hazy, dark green	<b>Bulk Density (pounds/ft<sup>3</sup>):</b>	Not applicable
<b>Physical State:</b>	Liquid	<b>Vapor Pressure:</b>	No data available
<b>Odor:</b>	Sweet citrus type	<b>Vapor Density (air=1):</b>	No data available
<b>Odor Threshold:</b>	No data available	<b>Evaporation Rate (n-Butyl Acetate=1):</b>	No data available
<b>Molecular Formula:</b>	Mixture	<b>VOC Content / Organic Matter:</b>	NA / 6.0%
<b>Molecular Weight:</b>	Not applicable	<b>% Volatile:</b>	No data available
<b>Boiling Point:</b>	Greater than 100° C. (212° F.)	<b>Solubility in H<sub>2</sub>O:</b>	Complete
<b>Freezing/Melting Point:</b>	Less than 0° C. (32° F.)	<b>Octanol/Water Partition Coefficient:</b>	No data available
<b>Specific Gravity:</b>	1.30 @ 20° C.	<b>pH (as is):</b>	1.0 - 2.0
<b>Density (pounds/gallon):</b>	Approximately 10.85	<b>pH (1% solution):</b>	No data available

## SECTION 10: STABILITY AND REACTIVITY

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Contact caustics & alkali, strong oxidizers, sulfides, sulfites, cyanides and chlorine releasers.

**HAZARDOUS DECOMPOSITION PRODUCTS:** When heated to dryness and decomposition, it emits toxic oxides of carbon, zinc, manganese, iron and copper, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and sodium plus irritating smoke.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is not sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is not sensitive to static discharge.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>Components:</b>	<b><u>Proprietary Organic Acid</u></b>	<b><u>Zinc Sulfate</u></b>
<b>Eye Contact:</b>	Rabbit: 750 ug/24 Hours; Severe	Rabbit: 420 ug; Moderate
<b>Skin Contact:</b>	Rabbit: 500 mg/24 Hours; Moderate	No data available
<b>Oral Rat LD<sub>50</sub>:</b>	3 gm/kg	1,710 mg/kg
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available	No data available (Subcutaneous LD <sub>50</sub> : 300 mg/kg)
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available	No data available
<b>Human Data:</b>	No data available	Oral Human TD <sub>Lo</sub> : 45 mg/kg/7 Days; Cardiac & Blood Effects
<b>Other Toxicological Data:</b>	Intravenous Mouse LD <sub>50</sub> : 42 mg/kg	Subcutaneous Rat LD <sub>50</sub> : 330 mg/kg
<b>Carcinogenicity:</b>	No data available	Subcutaneous Rabbit LD <sub>50</sub> : 3,625 ug/kg/5 Days – Tumorigenic – Tumors at site of application
<b>Teratogenicity:</b>	No data available	Oral Rat TD <sub>Lo</sub> : 333 mg/kg (female 1-18 Days pregnant) Effects on fertility – Post implantation mortality
<b>Mutagenicity:</b>	No data available	Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours
<b>Synergistic Products:</b>	None reported	None reported
<b>Target Organs:</b>	Eyes, Skin, Mucous membranes, Lungs & Teeth	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems
<b>Medical Conditions Aggravated By Exposure:</b>	Skin or Respiratory disorders	Skin, Respiratory or Heart disorders
<b>Components:</b>	<b><u>Manganese Sulfate</u></b>	<b><u>Ferrous Sulfate</u></b>
<b>Eye Contact:</b>	No data available	No data available
<b>Skin Contact:</b>	No data available	No data available
<b>Oral Rat LD<sub>50</sub>:</b>	2,150 mg/kg	319 mg/kg
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available	No data available
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available	No data available
<b>Human Data:</b>	No data available	Oral Woman TD <sub>Lo</sub> : 10,560 ug/kg; Gastrointestinal effects
<b>Other Toxicological Data:</b>	Oral Mouse LD <sub>50</sub> : 2,330 mg/kg	Oral Mouse LD <sub>50</sub> : 680 mg/kg
<b>Carcinogenicity:</b>	Intraperitoneal Mouse TD <sub>Lo</sub> : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria	Subcutaneous Mouse TD <sub>Lo</sub> : 1,600 mg/kg/16 Weeks; Equivocal Tumorigenic Agent, Tumors at application site
<b>Teratogenicity:</b>	Intraperitoneal Mouse TD <sub>Lo</sub> : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality	Oral Rat TD <sub>Lo</sub> : 7,200 mg/kg (9-14 Days pregnant); Effects on Embryo or Fetus – Fetal death
<b>Mutagenicity:</b>	Bacteria B Subtilis DNA Repair: 50 mmol/ Liter	Cytogenetic Analysis – Hamster, Ovary: 5 mmol/ Liter
<b>Synergistic Products:</b>	None reported	None reported
<b>Target Organs:</b>	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Lungs, Liver, Gastrointestinal Tract & Lymphatic System
<b>Medical Conditions Aggravated By Exposure:</b>	Skin or Respiratory disorders	Skin, Liver or Respiratory disorders

**SECTION 11: TOXICOLOGICAL INFORMATION (Continued from Page 4)**

<b>Components:</b>	<b>Copper Sulfate</b>	<b>Boric Acid</b>
<b>Eye Contact:</b>	No data available	No data available
<b>Skin Contact:</b>	No data available	Human Standard Draize Test: 15 mg/3 Days ; Mild
<b>Oral Rat LD<sub>50</sub>:</b>	300 mg/kg	2,660 mg/kg
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available	No data available (Dermal Infant TD <sub>Lo</sub> : 1,200 mg/kg)
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available	28 mg/m <sup>3</sup> /4 hours
<b>Human Data:</b>	Oral Human TD <sub>Lo</sub> : 11 mg/kg; Toxic Effects - Gastritis, Gastrointestinal Hypermotility, diarrhea	Oral Woman LD <sub>Lo</sub> : 200 mg/kg
<b>Other Toxicological Data:</b>	Oral Child TD <sub>Lo</sub> : 150 mg/kg; Toxic Effects – Kidney, Ureter and Bladder-Changes in tubules (acute renal failure)	Oral Child TD <sub>Lo</sub> : 500 mg/kg; Gastrointestinal Effects: Nausea or vomiting
<b>Carcinogenicity:</b>	Parenteral Chicken, TD <sub>Lo</sub> : 10 mg/kg; Tumorigenic – Equivocal tumorigenic agent by RTECS criteria	No data available
<b>Teratogenicity:</b>	Subcutaneous Rat TD <sub>Lo</sub> : 12,768 ug/kg; (male 1 Day prior to mating) paternal effects–Testes, epididymis, sperm duct	Oral Rat TD <sub>Lo</sub> : 6,600 mg/kg (female 1 – 21 Days pregnant); Effects on Embryo or Fetus – Fetotoxicity; Specific Developmental Abnormalities – Musculoskeletal system
<b>Mutagenicity:</b>	Rat DNA damage, Ascites tumor: 500 umol/Liter	Bacteria – E Coli Mutations in Microorganisms: 17,000 ppm/24 hours (-S9)
<b>Synergistic Products:</b>	None reported	None reported
<b>Target Organs:</b>	Eyes, Skin, Mucous membranes, Lungs, Gastrointestinal tract, Kidneys & Blood	Eyes, Skin, Lungs, Kidneys, Gastrointestinal & Central Nervous Systems
<b>Medical Conditions Aggravated By Exposure:</b>	Wilson's Disease, Skin, Liver, Kidney & Respiratory disorders	Skin, Respiratory, Kidney or Gastrointestinal disorders

**SECTION 12: ECOLOGICAL INFORMATION****ENVIRONMENTAL FATE:**

This product is completely soluble in water and can affect the pH of water. No specific environmental fate data is available.

**ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**RCRA 40 CFR 261 CLASSIFICATION:** Non-RCRA Hazardous Waste (United States)

**U.S. EPA WASTE NUMBER/DESCRIPTION:** Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

**SECTION 14: TRANSPORTATION INFORMATION**

**DOT PROPER SHIPPING NAME:** Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

**Hazard Class:** 9                      **UN Number:** UN3082                      **Packing Group:** III  
**Primary Label:** Class 9                      **Subsidiary Label(s):** None  
**Primary/Subsidiary Placards:** Class 9

**DOT Reportable Quantity (RQ):** 10 pounds (Cupric Sulfate)                      **RQ for Product:** 395 pounds (37 gallons)  
**Marine Pollutant:** Yes (Severe Marine Pollutant) Applicable to transport by water & in any bulk packaging.

**2012 North American Emergency Response Guidebook No.:** 171

**TDG PROPER SHIPPING NAME:** Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

**Hazard Class:** 9                      **UN Number:** UN3082                      **Packing Group:** III  
**Primary Label:** Class 9                      **Subsidiary Label(s):** None  
**Primary/Subsidiary Placards:** Class 9

**TDG Reportable Quantity (RQ): \*** At least 1kg  
**TDG Schedule XII:** Not listed  
**Regulated Limit (RL): \*\*** Not Listed                      **RL for Product:** Not Applicable

**Other Shipping Information:** Note: In a packaging holding 395 pounds, or more, the shipping name must be preceded by: "RQ.". All the hazardous material shipping descriptions, for this product, must be followed by "(Marine Pollutant)". The Marine Pollutant marking must be on all tote size packaging.

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

## SECTION 15: REGULATORY INFORMATION

COMPONENTS:	<u>Proprietary Organic Acid</u>	<u>Zinc Sulfate</u>	<u>Manganese Sulfate</u>	<u>Ferrous Sulfate</u>
<b><u>OSHA Target Organs:</u></b>	Eyes, Skin, Mucous membranes, Lungs & Teeth	Eyes, Skin, Lungs, Cardiovascular, Blood & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Lungs, Liver, Gastrointestinal & Lymphatic Systems
<b><u>Carcinogenic Potential:</u></b>				
<b>Regulated by OSHA:</b>	No	No	No	No
<b>Listed on NTP Report:</b>	No	No	No	No
<b>Listed by IARC:</b>	No	No	No	No
IARC Group:	Not applicable	Not applicable	Not applicable	Not applicable
<b>ACGIH Appendix A:</b>	Not listed	Not listed	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable	Not applicable	Not applicable

### U.S. EPA Requirements

#### Release Reporting

##### CERCLA (40 CFR 302)

<b>Listed Substance:</b>	Not listed	Yes	Yes (Manganese Compounds)	Yes
Reportable Quantity:	Not applicable	1,000 pounds	1 pound	1,000 pounds
Category:	Not applicable	C	Not listed	C
RCRA Waste No.:	Not applicable	Not listed	Not listed	None listed
<b>Unlisted Substance:</b>	Yes	Not applicable	Not applicable	Not applicable
Reportable Quantity:	100 pounds	Not applicable	Not applicable	Not applicable
Characteristic:	Corrosivity	Not applicable	Not applicable	Not applicable
RCRA Waste No.:	D002	Not applicable	Not applicable	Not applicable

### SARA TITLE III

#### Section 302 & 303 (40 CFR 355):

<b>Listed Substance:</b>	Not listed	Not listed	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable	Not applicable	Not applicable

#### Section 311 & 312 (40 CFR 370):

Hazard Categories (product):	<b>Fire: <u>N</u></b>	<b>Sudden Release of Pressure: <u>N</u></b>	<b>Reactive: <u>N</u></b>	<b>Acute Health: <u>Y</u></b>	<b>Chronic Health: <u>N</u></b>
Planning threshold:	10,000 pounds	10,000 pounds	10,000 pounds	10,000 pounds	10,000 pounds

#### Section 313 (40 CFR 372):

<b>Listed Toxic Chemical:</b>	Not listed	Yes (Zinc Category)	Yes (Manganese Category)	Not listed
Reporting Threshold:	Not applicable	10,000 pounds	10,000 pounds	Not applicable

### U.S. TSCA Status

<b>Listed (40 CFR 710):</b>	Yes	Yes	Yes	Yes
-----------------------------	-----	-----	-----	-----

### State Regulations

#### State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen:	No	No	No	No
Reproductive Toxin:	No	No	No	No

### Other Regulations

<b>State Right To Know Laws:</b>	MA, NJ, PA	None known	None known	None known
----------------------------------	------------	------------	------------	------------

### Canadian Regulations

#### Product Information:

Controlled Product:	<b>Yes</b>
WHMIS Hazard Symbols:	<b>Material Causing Other Toxic Effects</b>
WHMIS Class & Division:	<b>D.2B</b>

#### Ingredient Information:

IDL Substance:	Yes	Yes	Yes	No
DSL or NDSL Lists:	DSL	DSL	DSL	DSL

## SECTION 15: REGULATORY INFORMATION (Continued from Page #6)

<b>COMPONENTS:</b>	<u>Copper Sulfate</u>	<u>Boric Acid</u>
<b><u>OSHA Target Organs:</u></b>	Eyes, Skin, Mucous membranes, Lungs, Liver, Kidneys & Blood	Eyes, Skin, Lungs, Kidneys, Gastrointestinal & Central Nervous Systems
<b><u>Carcinogenic Potential:</u></b>		
<b>Regulated by OSHA:</b>	No	No
<b>Listed on NTP Report:</b>	No	No
<b>Listed by IARC:</b>	No	No
<b>IARC Group:</b>	Not applicable	Not applicable
<b>ACGIH Appendix A:</b>	Not listed	Not listed
<b>A1 Confirmed Human:</b>	Not applicable	Not applicable
<b>A2 Suspected Human:</b>	Not applicable	Not applicable

### U.S. EPA Requirements

#### Release Reporting

##### **CERCLA (40 CFR 302)**

<b>Listed Substance:</b>	Yes	Not listed
Reportable Quantity:	10 pounds (Anhydrous)	Not applicable
Category:	A	Not applicable
RCRA Waste No.:	Not listed	Not applicable
<b>Unlisted Substance:</b>	Not applicable	Not applicable
Reportable Quantity:	Not applicable	Not applicable
Characteristic:	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable

<b>COMPONENTS:</b>	<u>Copper Sulfate</u>	<u>Boric Acid</u>
--------------------	-----------------------	-------------------

### SARA TITLE III

#### **Section 302 & 303 (40 CFR 355):**

<b>Listed Substance:</b>	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable

#### **Section 311 & 312 (40 CFR 370):**

Planning threshold:	10,000 pounds	10,000 pounds
---------------------	---------------	---------------

#### **Section 313 (40 CFR 372):**

<b>Listed Toxic Chemical:</b>	Yes (Copper Category)	Not listed
Reporting Threshold:	10,000 pounds	Not applicable

### U.S. TSCA Status

<b>Listed (40 CFR 710):</b>	Yes	Yes
-----------------------------	-----	-----

### State Regulations

#### **State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):**

Carcinogen:	No	No
Reproductive Toxin:	No	No

### Other Regulations

<b>State Right To Know Laws:</b>	MA, NJ, PA	MA, NJ, PA
----------------------------------	------------	------------

### Canadian Regulations

#### **Product Information:**

Controlled Product:	<b>Yes</b>
WHMIS Hazard Symbols:	<b>Corrosive Material</b>
WHMIS Class & Division:	<b>E</b>

#### **Ingredient Information:**

IDL Substance:	Yes	Yes
DSL or NDSL Lists:	DSL	DSL

## SECTION 16: OTHER INFORMATION

**EPA Registration number:** Not applicable

**Approved Product Uses:** Used as a complete microbial nutritional program for soil and water remediation

**Special Notes:**

This product is not formulated to contain any material, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains small amounts of mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

**Special Instructions:**

When making solutions, always add Max Pak® to water, or other solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers or chlorinated cleaners as this liberates toxic Chlorine gas. Do not add this product to strong alkali or caustic materials and products, as this can liberate a lot of heat and toxic Ammonia gas.

**SDS Revision Information:** Revision Date: 8/21/2023

**SDS Distributed by:** Huma, Inc.

Prepared By:	Anna Carpenter
--------------	----------------

Date Prepared:	October 20, 2014
----------------	------------------

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.