

HUMA SAFETY DATA SHEET **OM 1 – 3 mm**



HMIS		
HEALTH	1	
FLAMMABILITY	0	
PHYSICAL HAZARD	0	
PPE	Е	

(International) 703-527-3887

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION					
PRODUCT IDENTIFIER:	OM 1 – 3 mm	Product #644			
GENERAL USE:	Used as a part of a plant nutrition program.				
PRODUCT DESCRIPTION:	A dark reddish brown to black particles/dust having no odor.				
SUPPLIER INFORMATION:	Huma®, Inc. 1331 W Houston Avenue	EMERGENCY PHONE NUMBERS			
For Additional SDS call:	Gilbert, AZ 85233	CHEMTREC: (In the USA) 800-424-9300			

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW:

(480) 961-1220

A dark reddish brown to black particles/dust having no odor. Ingestion of this product may cause gastrointestinal irritation or pain. Inhalation of dust may cause respiratory irritation.

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

PHONE: (480) 961-1220

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.

CLASSIFICATION: RESPIRATORY TRACT IRRITATION— HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H335; May cause respiratory irritation.

PRECAUTIONARY STATEMENT: P261, P271; Avoid breathing dust. Use only outdoors or in a well-ventilated area. P304+P340, P319; IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get

medical help if you feel unwell.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING - may be harmful if swallowed.

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT				ACGIH		OSHA	
	CAS # OSHA HAZARD	<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL	
Humates	1415-93-6	Nuisance dust	100%	None	None	5mg/m3 (respirable)	None

NDA = No Data Available N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If

breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

SKIN CONTACT: In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash

before reuse. If irritation occurs and persists, get medical attention.

INGESTION: If swallowed, rinse mouth and slowly drink 1 to 2 glasses of water. Never give anything by mouth to an unconscious

person.

NOTE TO

Treat exposure symptomatically.

PHYSICIANS:

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Not applicable Upper:

Autoignition Temperature: Not applicable

The Uniform Fire Code health hazard classification for this product is: Irritant. GENERAL HAZARD:

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water, foam, CO₂ or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

HAZARDOUS COMBUSTION PRODUCTS: When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon

dioxide.

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:

This material/product is naturally occurring and if spilled does not pose a risk to the environment.

RELEASE TO

This material/product is naturally occurring and if spilled does not pose a risk to the environment.

WATER:

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE: **Ambient** STORAGE PRESSURE: Ambient

GENERAL:

Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Avoid breathing dusts. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after

handling this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL Use a local or general, mechanical exhaust ventilation system capable of maintaining dust emissions, in the work

MEASURES: area, above the AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use produces dusts that may cause irritation, a NIOSH approved

half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. **Note:** Always consult the respirator manufacturer's data when determining the suitability of

respiratory protective devices prior to use.

EYES: Wear safety glasses as needed. Note: Always consult the protective eyewear manufacturer's data when

determining the suitability of protective eyewear prior to use.

GLOVES: Gloves are not required however if needed use Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note:

Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT:

Protective clothing in not required when handling this product. An eye wash station and safety shower should be

available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

determining the suitability of clothing/equipment prior to use

FOOTWEAR: Wear steel-toed safety shoes as needed. Note: Always consult the footwear manufacturer's permeation data when

determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Dark reddish brown to black	Bulk Density (pounds/ft³):	45-48 lb/ft ³		
Physical State:	Solid	Vapor Pressure:	No data available		
Odor:	No odor	Vapor Density (air=1):	No data available		
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Not applicable		
Molecular Formula:	Mixture	VOC Content/Organic Matter:	No data available		
Molecular Weight:	Not applicable	% Volatile:	Not applicable		
Boiling Point:	Not applicable	Solubility in H₂O:	Slightly soluble		
Freezing/Melting Point:	Not applicable	Octanol/Water Partition Coefficient:	No data available		
Specific Gravity:	Not applicable	pH (as is):	Not applicable		
Density (pounds/gallon):	Not applicable	pH (solution for use):	Not applicable		

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Avoid creation/accumulation of dust

INCOMPATIBLE MATERIAL: Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, toxic oxides of carbon with trace or

ultra-trace toxic oxide amounts, of sulfur, potassium, iron, manganese, magnesium,

calcium, zinc and sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge

SECTION 11: TOXICOLOGICAL INFORMATION

Components: Humate

Eye Contact: May cause slight irritation **Skin Contact:** May cause slight irritation

Oral Rat LD₅₀: Non-toxic naturally occurring substance

Dermal Rabbit LD₅₀: No data available Inhalation Rat LC₅₀: No data available **Human Data:** No data available Other Toxicological Data: No data available

Carcinogenicity: No data available

Teratogenicity: No data available Mutagenicity: No data available Synergistic Products: None reported

Target Organs:

Medical Conditions

Skin or Respiratory disorders Aggravated By Exposure:

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and will not affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

> If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not DOT Regulated (United States)

UN Number: **Hazard Class:** Packing Group: Not applicable N/A N/A

Primary Label: Not applicable Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not Listed RQ for Product: Not Applicable

Marine Pollutant: Nο

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: **NOT RESTRICTED**

> **Hazard Class: UN Number:** Packing Group: Not applicable N/A N/A

Primary Label: None Required Subsidiary Label(s): None Required

Primary/Subsidiary Placards: None required

TDG Reportable Quantity (RQ): * Not applicable **TDG Schedule XII:** Not applicable

Regulated Limit (RL): ** RL for Product: Not Applicable Not Listed

Other Shipping Information: None

Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: <u>Humate</u>

OSHA Target Organs: Eyes and Lungs

Carcinogenic Potential:

Regulated by OSHA: No Listed on NTP Report: No Listed by IARC: No

IARC Group:

ACGIH Appendix A:

A1 Confirmed Human:

A2 Suspected Human:

Not applicable

Not applicable

U.S. EPA Requirements

Release Reporting CERCLA (40 CFR 302)

Listed Substance: Not listed Reportable Quantity: Not applicable Category: Not applicable RCRA Waste No.: Not applicable **Unlisted Substance:** Not applicable Reportable Quantity: Not applicable Characteristic: Not applicable RCRA Waste No.: Not applicable

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance:Not listedReportable Quantity:Not applicablePlanning Threshold:Not applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): Fire: Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N

4

Planning threshold: NA

Section 313 (40 CFR 372):

Listed Toxic Chemical: No Reporting Threshold: NA

U.S. TSCA Status

Listed (40 CFR 710): No

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No Reproductive Toxin: No

Other Regulations

State Right To Know Laws: None Known

Canadian Regulations

Product Information:

Controlled Product:

WHMIS Hazard Symbols:

WHMIS Class & Division:

NA

Ingredient Information:

IDL Substance: No DSL or NDSL Lists: None

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions: Store OM 1 – 3 mm in a cool, dry, well ventilated, area away from incompatible materials and products. Do not add this product to strong oxidizers.

SDS Revision Information: Revised Date: 8/8/2023

SDS Distributed by: Huma®, Inc.

Prepared By:Anna CarpenterDate Prepared:February 6th 2018

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma[®] Inc. assumes legal liability. While Huma[®] Inc believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.