




SAFETY DATA SHEET OM LIQUID HA 15

Rev C 8/16/2023



HMIS	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	B

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: OM LIQUID HA 15	Product # 752
GENERAL USE: Used as a part of a plant nutrition program.	
PRODUCT DESCRIPTION: A brown liquid having a mild odor.	
INFORMATION PROVIDED BY: Huma, Inc. 1331 W Houston Avenue Gilbert, AZ 85233	EMERGENCY PHONE NUMBERS
For additional SDS call: PHONE: (480) 961-1220	CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW: A brown liquid having a mild odor. Ingestion of this product may cause gastrointestinal irritation, with cardiovascular and central nervous system effects.

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – may be harmful if swallowed.

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Humic Acid (HA), Potassium Salt	6851-29-3	Eye, Skin & Respiratory Irritant.	15 ± 0.5	None	None	None	None
Water	7732-18-5	None	85 ± 0.5	None	None	None	None

NDA = No Data Available

N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

- INHALATION:** If inhaled, seek fresh air, wash out mouth with water and blow nose thoroughly. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
- EYE CONTACT:** In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
- SKIN CONTACT:** In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
- INGESTION:** Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- NOTE TO PHYSICIANS:** Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

- Flashpoint and Method:** This product does not flash.
- Flammable Limits (in air, % by volume)** **Lower:** No data available **Upper:** No data available
- Autoignition Temperature:** Not determined
- GENERAL HAZARD:** This product is an aqueous, slightly alkaline solution of organic and inorganic compounds with small amounts of mineral salts. The Uniform Fire Code health hazard classification for this product is: **Irritant**. It may produce hazardous decomposition products.
- FIRE FIGHTING INSTRUCTIONS:** **EXTINGUISHING MEDIA:** Water fog, foam, CO₂ or dry chemicals.
Use a water fog or spray to cool the containers exposed to the heat of a fire.
- FIRE FIGHTING EQUIPMENT:** Fire fighters should wear full protective equipment, including self-contained breathing apparatus.
- HAZARDOUS COMBUSTION PRODUCTS:** When heated to dryness and decomposition, it emits toxic Ammonia gas, chloride compounds, carbon dioxide, carbon monoxide, and nitrogen oxides with trace or ultra-trace toxic oxide amounts of iron, sulfur, manganese, magnesium, potassium, calcium, phosphorus, zinc, cobalt, boron, and sodium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- RELEASE TO LAND:** Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of the liquid using pumps or vacuum truck for disposal in accordance with Federal, State and local regulations. Absorb the remaining liquid using sand, or commercially absorbent material; dispose as Federal, State and local requirements dictate. Flush the spill area with water; collect the rinsates for disposal as the regulations require.
- RELEASE TO WATER:** Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

- STORAGE TEMPERATURE:** Ambient **STORAGE PRESSURE:** Ambient
- GENERAL:** Store in a cool, dry, well-ventilated, area away from incompatible materials and products. Protect eyes, skin and clothing from contact with product. Wear recommended personal protective equipment when handling this product. Avoid breathing vapors or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the ACGIH-TLV, AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use creates mists or aerosols, or if an ACGIH-TLV is exceeded, a NIOSH approved full facepiece or half mask air-purifying cartridge respirator equipped with an organic vapor cartridge and a dust / mist pre-filter or supplied air is required. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Butyl Rubber, Neoprene or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: Wear a Butyl Rubber, Neoprene or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Butyl Rubber, Neoprene or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Brown	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	14.2 mmHg @ 20° C
Odor:	None	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	No data available
Molecular Formula:	Mixture	VOC Content / Organic Matter:	Nil / 14.41%
Molecular Weight:	Not applicable	% Volatile:	No data available
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.09 @ 20° C.	pH (as is):	9.0 -10.0
Density (pounds/gallon):	Approximately 9.09	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Acidic solutions, reducing agents, non-ferrous metals, strong oxidizers, combustible materials.

HAZARDOUS DECOMPOSITION PRODUCTS: This product is not expected to decompose into any hazardous byproducts. If allowed to reach dryness it may emit a faint ammonia-type odor

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Humic Acid, Potassium salt</u>
Eye Contact:	No data available
Skin Contact:	No data available
Oral Rat LD₅₀:	No data available
Dermal Rabbit LD₅₀:	No data available
Inhalation Rat LC₅₀:	No data available
Human Data:	No data available
Other Toxicological Data:	No data available
Carcinogenicity:	No data available
Teratogenicity:	No data available
Mutagenicity:	No data available
Synergistic Products:	None reported
Target Organs:	Eyes, Skin, Mucous membranes
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is completely miscible with water. No specific environmental fate data is available, but the organic portion of this product is expected to be biodegradable.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME:	Not DOT Regulated	UN Number:	Not applicable	Packing Group:	Not applicable
	Hazard Class: Not applicable				
	Primary Label: None required	Subsidiary Label(s):	None		
	Primary/Subsidiary Placards:	None Required			
DOT Reportable Quantity (RQ):	Not listed	RQ for Product:	Not applicable		
Marine Pollutant:	No				
2012 North American Emergency Response Guidebook No.:	Not applicable				
TDG PROPER SHIPPING NAME:	NOT RESTRICTED	UN Number:	Not applicable	Packing Group:	Not applicable
	Hazard Class: Not applicable				
	Primary Label: None required	Subsidiary Label(s):	None Required		
	Primary/Subsidiary Placards:	Corrosive			
TDG Reportable Quantity (RQ): *	Not applicable				
TDG Schedule XII:	Not applicable				
Regulated Limit (RL): **	Not listed	RL for Product:	Not applicable		
Other Shipping Information:	None				

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: Humic Acid, Potassium Salt

OSHA Target Organs: Eyes, Skin, Mucous membranes

Carcinogenic Potential:

Regulated by OSHA: No
Listed on NTP Report: No
Listed by IARC: No
IARC Group: Not applicable
ACGIH Appendix A: Not listed
A1 Confirmed Human: Not applicable
A2 Suspected Human: Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance: Not listed
Reportable Quantity: Not applicable
Category: Not applicable
RCRA Waste No.: Not applicable

Unlisted Substance: Not applicable
Reportable Quantity: Not applicable
Characteristic: Not applicable
RCRA Waste No.: Not applicable

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance: Not listed
Reportable Quantity: Not applicable
Planning Threshold: Not applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (**product**): **Fire: N Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N**
Planning threshold: 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Not listed
Reporting Threshold: Not applicable

U.S. TSCA Status

Listed (40 CFR 710): No

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No
Reproductive Toxin: No

Other Regulations

State Right To Know Laws: None known

Canadian Regulations

Product Information:

Controlled Product: **Yes**
WHMIS Hazard Symbols: **Corrosive Material**
WHMIS Class & Division: **E**

Ingredient Information:

IDL Substance: No
DSL or NDSL Lists: DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as a part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions:

Store OM LIQUID HA 15 in a cool, dry, well ventilated, area away from incompatible materials and products.

SDS Revision Information: Revised Date: 8/16/2023

SDS Distributed by: Huma, Inc.

Prepared By:	Anna Carpenter
---------------------	----------------

Date Prepared:	June 7, 2022
-----------------------	--------------

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.