# HUMA®

## INSTRUCTIONS

PREPARATION: Shake well before use. Can be applied in combination with compatible plant growth regulators, pesticides, or other liquid fertilizers. If compatibility is in question, jar test a small quantity. Do not foliarly apply this product in concentrations greater than 10% without a preliminary foliar test.

APPLICATION: Designed for soil and/or foliar application. May be used as a plant or soil amendment only if soil deficiency is documented by testing. This product supplies nutrients to plants and should be applied when tissue and soil analysis identifies the need and proper rate of application for this product. The best results will be obtained when application is concentrated in the active root zone or on the plant surface. Apply foliar sprays with sufficient water to ensure uniform coverage without running off leaf surfaces. For maximum results, apply early in the morning or in the evening when air temperatures are optimum for foliar application. Full label rates can be applied as often as every 7–10 days, as needed.

**CONDITIONS:** Do not apply nutrients during the hottest time of the day or to plants under drought or flood stress. Application timing, intervals, and rates may vary according to individual plant requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the plants.

**CONSULT:** Consult your local Huma® Representative or qualified individual/institution for use-specific recommendations.

STORAGE & DISPOSAL: Do not store this product below 50°F (10°C) or above 90°F (30°C). Keep product in original container. Do not transfer into food or drink containers. Triple rinse container when empty for recycling. Always dispose of container in accordance with local, state, and/or federal regulations.

DISCLAIMER: This product is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by plants.

### **GUARANTEED ANALYSIS**

Sulfur (S)	
Boron (B)	
Copper (Cu)	
Iron (Fe)	
Manganese (Mn)	
Molybdenum (Mo)	
Zinc (Zn)	

Derived from Boric Acid, Copper Sulfate, Ferrous Sulfate, Manganese Sulfate, Sodium Molybdate, and Zinc Sulfate.

## SHAKE WELL BEFORE USE

Do not foliarly apply this product in concentrations greater than 10% without a preliminary foliar test.

Full label rates can be applied as often

as every 7 to 10 days, as needed.

WARNING: This product contains boron (B), which may be injurious to certain crops. The use of this fertilizing material on any crops other than those recommended may result in serious injury to the crops.

 $\label{eq:WARNING: Application of this material in excess may result in forage crops containing levels of molybdenum (Mo) that are toxic to ruminant animals.$ 

## APPLICATION

METHOD	SUGGESTED RATE		
		os, Sod, and Ity Crops	Tree or Vine Crops
Foliar band application at 50% coverage	Up to 2 qt/ac, 5 L/ha	Up to 3 oz/1000 ft <sup>2</sup> 105 mL/100 m <sup>2</sup>	-
Foliar broadcast or sprinklers:	Up to 1 gal/	Up to 6 oz/1000 ft <sup>2</sup>	Up to 2 gal/ac,
solid, set, linear, pivot (100% speed)	ac, 10 L/ha	210 mL/100 m <sup>2</sup>	20 L/ha
Soil banded or injected through	Up to 2 gal/	Up to 12 oz/1000 ft <sup>2</sup>	Up to 4 gal/ac,
drip tape or micro sprinklers	ac, 20 L/ha	420 mL/100 m <sup>2</sup>	40 L/ha
Soil broadcast spray incorporated,	Up to 4 gal/	Up to 24 oz/1000 ft <sup>2</sup>	Up to 8 gal/ac,
flood or furrow irrigated	ac, 40 L/ha	840 mL/100 m <sup>2</sup>	80 L/ha

10.43 lb per gallon @ 68°F. 1.25 kg per liter @ 20°C. pH 1.0-2.0 2.5 gallons • Net Wt. 26.08 lb 9.46 liters • Net Wt. 11.83 kg Lot No. 12345678

## Lot No. 12345

## huma.us

# **OM MICROS**

## SAFETY

### KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.aapfco.org/metals.html

The liquid and mists may cause irritation to the eyes and skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation and/or cardiovascular and central nervous system effects.

#### CLASSIFICATION: CATEGORY 1A - SKIN CORROSION SIGNAL WORD: DANGER

HAZARD STATEMENT: H314 Causes severe 
skin burns and eye damage.



PRECAUTIONARY STATEMENT: P260 Do not breathe dusts/mist/vapors; P280 Wear protective gloves/ protective clothing/eye protection/face protection; P264 Wash hands thoroughly after handling.

PRODUCT CHARACTERISTICS: A hazy, greenish brown, acidle liquid having a unique characteristic odor. The color, pH, specific gravity, as well as the smell, can vary. Variations may occur due to changes in temperature, atmospheric pressure, weather conditions, and/or exposure to light from when the product leaves the factory until it reaches the final consumer.

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant and soil conditions, and other factors are beyond the control of the seller.



Guaranteed by Huma, Inc. For Organic Use-OMRI 1331 W. Houston Ave., Gilbert, AZ 85233 480.961.1220 © 2024 F003537 Publication No. HP&S-824-240620