




SAFETY DATA SHEET

OM Nitro



HMIS	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	B

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER:	OM Nitro	Product # 801
GENERAL USE:	Used as a part of a plant nutrition program.	
PRODUCT DESCRIPTION:	A slightly hazy, light amber liquid having a characteristic odor.	
SUPPLIER INFORMATION:	Huma, Inc. 1331 W Houston Avenue Gilbert, AZ 85233	EMERGENCY PHONE NUMBERS
For Additional SDS call: (480) 961-1220	PHONE: (480) 961-1220	
		CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW:

A slightly hazy, light amber liquid having a characteristic odor. The liquid and mists may be irritating to the eyes and skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation, cardiovascular and central nervous system effects

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – may be harmful if swallowed.

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Citric Acid Anhydrous	77-92-9	Severe Eye Irritant; Moderate to Severe Skin & Respiratory Irritant	4 ± 1.0	None	None	None	None

NDA = No Data Available

N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT:	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method:	This product does not flash.		
Flammable Limits (in air, % by volume)	Lower: Not applicable	Upper: Not applicable	
Autoignition Temperature:	Not applicable		
GENERAL HAZARD:	This product is an aqueous, slightly acidic solution of organic and inorganic compounds. The Uniform Fire Code health hazard classification for this product is: Irritant . It may produce hazardous decomposition products.		
FIRE FIGHTING INSTRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO ₂ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.		
FIRE FIGHTING EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
HAZARDOUS COMBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, with carbon monoxide, carbon dioxide and nitrogen oxides plus trace or ultra-trace toxic oxide amounts, of, iron, sulfur, manganese, magnesium, potassium, phosphorus, zinc and sodium.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of the liquid using pumps or vacuum truck for disposal in accordance with Federal, State and local regulations. Absorb the remaining liquid using sand, or commercially absorbent material; dispose as Federal, State and local requirements dictate. Flush the spill area with water; collect the rinsates for disposal as the regulations require.
RELEASE TO WATER:	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE:	Ambient	STORAGE PRESSURE:	Ambient
GENERAL:	Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Do not store this product below 50° F (10° C) or above 90° F (30° C). Protect eyes, skin and clothing from contact with product. Wear recommended personal protective equipment when handling this product. Avoid breathing vapors or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, above the AIHA WEEL or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use produces mists that may cause irritation, a NIOSH approved half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	A slightly hazy amber	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	Characteristic odor	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	No data available
Molecular Formula:	Mixture	VOC Content / Organic Matter:	No data available / 23.0%
Molecular Weight:	Not applicable	% Volatile:	No data available
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.16 @ 20° C.	pH (as is):	3.5 - 4.5
Density (pounds/gallon):	Approximately 9.68	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Reducing agents, caustics & strong alkali and readily oxidized materials or products.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic oxides of carbon and nitrogen plus trace or ultra-trace toxic oxide amounts, of, iron, sulfur, manganese, magnesium, calcium, potassium, phosphorus, zinc and sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Citric Acid Anhydrous</u>
Eye Contact:	Rabbit: 750 ug/24 Hours; Severe
Skin Contact:	Rabbit: 500 mg/24 Hours; Moderate
Oral Rat LD₅₀:	3 gm/kg
Dermal Rabbit LD₅₀:	No data available
Inhalation Rat LC₅₀:	No data available
Human Data:	No data available
Other Toxicological Data:	Intravenous Mouse LD ₅₀ : 42 mg/kg
Carcinogenicity:	No data available
Teratogenicity:	No data available
Mutagenicity:	No data available
Synergistic Products:	None reported
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Teeth
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and is not expected to affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not DOT Regulated (United States)
Hazard Class: Not applicable **UN Number:** N/A **Packing Group:** N/A
Primary Label: Not applicable **Subsidiary Label(s):** None Required
Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not Listed **RQ for Product:** Not Applicable
Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED
Hazard Class: Not applicable **UN Number:** N/A **Packing Group:** N/A
Primary Label: None Required **Subsidiary Label(s):** None Required
Primary/Subsidiary Placards: None required

TDG Reportable Quantity (RQ): * Not applicable
TDG Schedule XII: Not applicable
Regulated Limit (RL): ** Not Listed **RL for Product:** Not Applicable
Other Shipping Information: None

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS: Citric Acid Anhydrous

OSHA Target Organs: Eyes, Skin, Mucous membranes, Lungs & Teeth

Carcinogenic Potential:

Regulated by OSHA: No
Listed on NTP Report: No
Listed by IARC: No
IARC Group: Not applicable
ACGIH Appendix A: Not listed
A1 Confirmed Human: Not applicable
A2 Suspected Human: Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance: Not listed
Reportable Quantity: Not applicable
Category: Not applicable
RCRA Waste No.: Not applicable
Unlisted Substance: Yes
Reportable Quantity: 100 pounds
Characteristic: Corrosivity
RCRA Waste No.: D002

SECTION 15: REGULATORY INFORMATION (Continued from page 5)

COMPONENTS: Citric Acid Anhydrous

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance: Not listed
Reportable Quantity: Not applicable
Planning Threshold: Not applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product): **Fire:** N **Sudden Release of Pressure:** N **Reactive:** N **Acute Health:** Y **Chronic Health:** N
Planning threshold: 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Not listed
Reporting Threshold: Not applicable

U.S. TSCA Status

Listed (40 CFR 710): Yes

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No
Reproductive Toxin: No

Other Regulations

State Right To Know Laws: MA, NJ, PA

Canadian Regulations

Product Information:

Controlled Product: **No**
WHMIS Hazard Symbols: **NA**
WHMIS Class & Division: **NA**

Ingredient Information:

IDL Substance: Yes
DSL or NDSL Lists: DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm.

Special Instructions: Store OM Nitro in a cool, dry, well ventilated, area away from incompatible materials and products. When making dilutions, always add this product to water, or aqueous solutions, with adequate mixing to ensure a uniform solution.

SDS Revision Information: Revised Date: 6/29/2023

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Anna Carpenter	Date Prepared: December 28 th 2017
------------------------------------	--

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.