


# HUMA<sup>®</sup> SAFETY DATA SHEET **OM Nitro Potassium**

REV E 6/29/2023

HMIS			
HEALTH	2		
FLAMMABILITY	0		
PHYSICAL HAZARD	0		
PPE	В		



PRODUCT	OM Nitro Potass	sium	Pr	oduct # 80	2		
GENERAL USE:	Used as a part of a	plant nutrition program.					
PRODUCT DESCRIPTION:	A slightly hazy amb	per liquid having a unique	characteristic	odor.			
SUPPLIER INFORMAT	TION: Huma, Inc. 1331 W Housto Gilbert, AZ 852			EMERGENCY PHONE NUMBERS		RS	
For Additional SDS ca (480) 961-1220	SDS call: PHONE: (480) 961-1220			CHEMTREC: (In the USA) 800-424-9 (International) 703-527-			
	5	SECTION 2: HAZARD	S IDENTIFIC	CATION			
HAZARDS OVERVIEW:	skin. Inhalation of mis	uid having a unique chara ts may be irritating to th , cardiovascular and cent	he entire res	piratory trac	t. Ingestion of		
	CLASSIFICATION: MIL						
	PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARM HAZARD STATEMENT	NING : H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - MA NING : H303 - WARNING – ma	—If skin irritati AY BE HARM ay be harmful i	on occurs, g FUL IF SWA if swallowed	LLOWED		
	SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA	NING : H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - M NING : H303 - WARNING – ma ATEMENT: P301+P317-	—If skin irritati AY BE HARM ay be harmful i —If swallowed	on occurs, g FUL IF SWA if swallowed I, get emerge	LLOWED		
	SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA	NING : H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - MA NING : H303 - WARNING – ma	—If skin irritati AY BE HARM ay be harmful i —If swallowed	on occurs, g FUL IF SWA if swallowed I, get emerge I ON INGR	ALLOWED ency medical he	elp.	
<u>COMPONENT</u>	SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA	NING : H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - M NING : H303 - WARNING – ma ATEMENT: P301+P317-	—If skin irritati AY BE HARM ay be harmful i —If swallowed	on occurs, g FUL IF SWA if swallowed I, get emerge	ALLOWED ency medical he	elp.	SHA STEL
	SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA SECTION 3:	NING H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - MANING H303 - WARNING - ma ATEMENT: P301+P317- COMPOSITION & INF	—If skin irritati AY BE HARM ay be harmful i —If swallowed	on occurs, g FUL IF SWA if swallowed I, get emerge I ON INGR ACC	ALLOWED ency medical he EDIENTS GIH	elp. O	SHA
<u>COMPONENT</u> Potassium Sulfate Citric Acid Anhydrous	SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA CLASSIFICATION: HA SIGNAL WORD: WARN HAZARD STATEMENT PRECAUTIONARY STA SECTION 3: <u>CAS #</u> 7778-80-5	NING H316 - WARNING - cau ATEMENT: P332+P317- ZARD CATEGORY 5 - MA NING H303 - WARNING - ma ATEMENT: P301+P317- COMPOSITION & INF OSHA HAZARD	If skin irritati AY BE HARM be harmful i If swallowed ORMATION <u>WT %</u> 7 ± 0.5 3 ± 0.5	on occurs, g FUL IF SWA if swallowed I, get emerge I ON INGR ACC TLV <sub>(TWA)</sub>	ALLOWED ency medical he EDIENTS GIH STEL	elp. O PEL <sub>(TWA)</sub>	SHA STEL

		SECTION 4: FIRST AID MEASURES				
INHALATION:		move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If e oxygen. Call a physician.				
EYE CONTACT:		In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.				
SKIN CONTACT		In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.				
INGESTION:	If large quantities of this directed to do so by me	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.				
NOTE TO PHYSICIANS:	consideration should be central nervous system	Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.				
	S	SECTION 5: FIRE FIGHTING MEASURES				
Flashpoint a	nd Method: This product	does not flash.				
Flammable L	imits (in air, % by volume)	Lower: Not applicable Upper: Not applicable				
Autoignition	Temperature: Not Deterr	mined				
Autoignition	remperature. Not Deten					
GENERAL HAZA		queous, acidic solution of organic and inorganic compounds. The Uniform Fire Code health for this product is: <b>Irritant</b> . It may produce hazardous decomposition products.				
FIRE FIGHTING	INSTRUCTIONS:	<b>EXTINGUISHING MEDIA:</b> Water, foam, $CO_2$ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.				
FIRE FIGHTING	EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.				
HAZARDOUS C	OMBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, carbon monoxide, carbon dioxide, phosphorus oxides, nitrogen oxides, sulfur oxides and magnesium, calcium, zinc, copper and sodium.				
	SECT	TION 6: ACCIDENTAL RELEASE MEASURES				
RELEASE TO LAND:	a vacuum truck, or absorb recovery, disposal, or sate limestone, or other agent a	rotective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or to the liquid in sand or a commercially absorbent material. Place in approved containers for ellite accumulation. Neutralize the acidity, of the remaining liquid, using sodium bicarbonate, appropriate for neutralizing acidic liquids, that will not release Ammonia gas. Flush the spill e rinsates for disposal or sewer, as appropriate.				
RELEASE TO WATER:		ective equipment and clothing if contact with hazardous material can occur. Stop or divert nated water and remove for disposal and/or treatment. As appropriate, notify all downstream nation.				
		SECTION 7: HANDLING AND STORAGE				
STORAGE TEM		STORAGE PRESSURE: Ambient				
	50° F (10° C) or above 90° F (3 protective equipment when har	lated area away from incompatible materials and products. Do not store this product below 60° C). Do not get this product in eyes, on skin or on clothing. Wear recommended personnel ndling this product. Do not breathe mists, vapors, fumes or aerosols. Use only with adequate ally. Keep the container tightly closed when not in use. Wash thoroughly after handling this				

	SECTION 8. EXPO		NTROLS / PERSONAL PROTEC	τιον	
CONTROL MEASURES:	Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.				
RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT					
RESPIRATOR:	Respiratory protection is not normally required. If use produces mists that may cause irritation, a NIOSH approved half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. <b>Note:</b> Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.				
EYES:	Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. <b>Note:</b> Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.				
GLOVES:			Natural Rubber gloves. <b>Note:</b> Alway itability of gloves prior to use.	rs consult the glove manufacturer's	
CLOTHING & EQUIPMENT:	eye wash station and safe	ety shower	e, Butyl Rubber, or Natural Rubber api should be available in the work a ation data when determining the suita	rea. Note: Always consult the	
FOOTWEAR:			Natural Rubber boots. <b>Note:</b> Always c itability of footwear prior to use.	onsult the footwear manufacturer's	
	SECTION 9:	PHYSICAL	AND CHEMICAL PROPERTIES		
Appearance:	Slightly Hazy Amber		Bulk Density (pounds/ft <sup>3</sup> ):	Not applicable	
Physical State:	Liquid		Vapor Pressure:	No data available	
Odor:	Unique, characteristic		Vapor Density (air=1):	No data available	
Odor Threshold:	No data available		Evaporation Rate (n-Butyl Acetate=1):	No data available	
Molecular Formula:	Mixture		VOC Content / Organic Matter:	No data available / 18.5%	
Molecular Weight:	Not applicable		% Volatile:	No data available	
Boiling Point:	Greater than 100° C. (21	2° F.)	Solubility in H₂O:	Soluble	
Freezing/Melting Point:	t: Less than 0° C. (32° F.) Octanol/Water Partition Coefficient: No data available				
Specific Gravity:	1.16 @ 20° C.		pH (as is):	3.5 - 4.5	
Density (pounds/gallon):	): Approximately 9.68 <b>pH (1% solution):</b> No data available				
SECTION 10: STABILITY AND REACTIVITY					
GENERAL: This product is stable and hazardous polymerization will not occur.					
<b>CONDITIONS TO AVOID:</b> Do not store this product below 50° F (10° C) or above 90° F (30° C)					
INCOMPATIBLE MATERIAL: Oxidizers, caustics & strong alkali, cyanides, sulfides, sulfites, chlorine releasers, Aluminum, Magnesium, Zinc and alloys of these metals.					
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b> When heated to dryness and decomposition, it emits toxic Ammonia gas with toxic oxides of carbon, phosphorus, nitrogen, sulfur and potassium with trace or ultra-trace toxic oxide amounts, of, iron, manganese, magnesium, calcium, zinc, copper and sodium plus irritating smoke.					
SENSITIVITY TO ME	CHANICAL IMPACT:	This produc	t is <u>not</u> sensitive to mechanical impac	t.	
SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.					

#### SECTION 11: TOXICOLOGICAL INFORMATION Potassium Sulfate Components: Citric Acid Anhydrous Eye Contact: No data available Rabbit: 750 ug/24 Hours; Severe Skin Contact: No data available Rabbit: 500 mg/24 Hours; Moderate Oral Rat LD<sub>50</sub>: 6,600 mg/kg 3 gm/kg Dermal Rabbit LD<sub>50</sub>: No data available No data available Inhalation Rat LC<sub>50</sub>: No data available No data available Human Data: No data available No data available Other Toxicological Data: No data available Intravenous Mouse LD<sub>50</sub>: 42 mg/kg Carcinogenicity: No data available No data available Teratogenicity: No data available No data available **Mutagenicity:** None reported No data available Synergistic Products: None reported None reported **Target Organs:** Eyes, Skin, Mucous membranes and Lungs Eyes, Skin, Mucous membranes, Lungs & Teeth **Medical Conditions** Skin and Respiratory Skin or Respiratory disorders Aggravated By Exposure: SECTION 12: ECOLOGICAL INFORMATION **ENVIRONMENTAL FATE:**

This product is soluble in water and can affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

#### SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATON:

Non-RCRA Hazardous Waste (United States)

### U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

### SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME:	Not DOT Regulated			
	Hazard Class: Not ap	plicable UN Number: N/A	Packing Group: N/A	
	Primary Label: None I	Required Subsidiary Label	l(s): None Required	
	Primary/Subsidiary Plac	ards: None Required		
DOT Reportable Quantity (RQ):	Not listed	RQ for Product: Not a	pplicable	
Marine Pollutant:	No			
2012 North American Emergency Re	sponse Guidebook No.:	Not applicable		
TDG PROPER SHIPPING NAME:	NOT RESTRICTED			
	Hazard Class: Not ap	plicable UN Number: N/A	Packing Group: N/A	
	Primary Label: None I	Required Subsidiary Label	l(s): None Required	
	Primary/Subsidiary Plac	ards: None Required		
TDG Reportable Quantity (RQ): *	Not applicable			
TDG Schedule XII:	Not applicable			
Regulated Limit (RL): **	Not listed	RL for Product: Not a	pplicable	
Other Shipping Information:	None			

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

## SECTION 15: REGULATORY INFORMATION

COMPONENTS:	Potassium Sulfate	Citric Acid Anhydrous
OSHA Target Organs:	Eyes, Skin, Mucous membranes and Lungs	Eyes, Skin, Mucous membranes, Lungs & Teeth
Carcinogenic Potential:		
Regulated by OSHA:	No	No
Listed on NTP Report:	No	No
Listed by IARC:	No	No
IARC Group:	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed
ACOIN Appendix A. A1 Confirmed Human:	Not applicable	
A2 Suspected Human:	Not applicable	Not applicable Not applicable
U.S. EPA Requirements		
Release Reporting		
CERCLA (40 CFR 302)		
Listed Substance:	Yes	Not listed
Reportable Quantity:	1,000 pounds	Not applicable
	C	••
Category: RCRA Waste No.:	C None listed	Not applicable
		Not applicable
Unlisted Substance:	Not applicable	Yes
Reportable Quantity:	Not applicable	100 pounds
Characteristic:	Not applicable	Corrosivity
RCRA Waste No.:	Not applicable	D002
SARA TITLE III Section 302 & 303 (40 CFR 355	):	
Listed Substance:	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable
Section 311 & 312 (40 CFR 370)	):	
Hazard Categories ( <b>product</b> ): Planning threshold:	Fire: <u>N</u> Sudden Release 10,000 pounds	e of Pressure: <u>N</u> Reactive: <u>N</u> Acute Health: <u>Y</u> Chronic Health: <u>N</u> 10,000 pounds
Section 313 (40 CFR 372):		
Listed Toxic Chemical:	Not listed	Not listed
Reporting Threshold:	Not applicable	Not applicable
U.S. TSCA Status		
Listed (40 CFR 710):	No	No
State Regulations		
	ng Water and Toxins Enforceme	
Carcinogen:	No	No
Reproductive Toxin:	No	No
Other Regulations		
State Right To Know Laws:	NJ, PA	MA, NJ, PA
Canadian Regulations		
Product Information:		
Controlled Product:	Yes	
WHMIS Hazard Symbols:	Material Causing Other Toxic	Effects
WHMIS Class & Division:	D.2B	
Ingredient Information:		
ingreatent intornation.		
IDL Substance:	No	Yes
IDL Substance: DSL or NDSL Lists:	No NA	Yes DSL

SECTION 16: OTHER INFORMATION					
EPA Registration number: Not applicable					
Approved Prod	proved Product Uses: Used as part of a plant nutrition program.				
Special Notes:					
	This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm.				
Special Instr	Special Instructions: Store OM Nitro Potassium in a cool, dry, well ventilated, area away from incompatible materials and products.				
SDS Revision Info	SDS Revision Information: Revised Date: 6/29/2023				
SDS Distributed by: Huma, Inc.					
Prepared By: Anna Carpenter Date Prepared: December 28 <sup>th</sup> 2017					
This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.					