HUMA®

INSTRUCTIONS

PREPARATION: Can be applied in combination with compatible granular fertilizers, including granular urea. Adds naturally occurring materials containing humic and fulvic acids to soil that may enhance soil health for plant nutrient availability and uptake, water use efficiency, growth of beneficial microbes, and crop vigor to overcome abiotic stress. Should be applied when tissue and soil analysis identify the need and proper rate of application for this product.

APPLICATION: Designed to be applied to the soil. Best results will be obtained when application is concentrated in the active root zone or when applied directly to the soil followed by shallow incorporation or irrigation. Apply by broadcast, whether through air or ground machine. Can be applied to all soil types for agricultural fields, ornamentals, lawns, gardens, and landscapes. Soil moisture is required for maximum bioactivity: if soil is dry, moisture should be provided by irrigation. Applications can be made as often as every 30 days, as needed.

CONDITIONS: Application timing, intervals, and rates may vary according to individual plant requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the plants.

CONSULT: Consult your local Huma® Representative or qualified individual/institution for use-specific recommendations.

STORAGE & DISPOSAL: Keep product in original bag. Do not transfer into food or drink containers. Always dispose of bag in accordance with local, state, and/ or federal regulations.

DISCLAIMER: This product is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by plants.

GUARANTEED ANALYSIS

CONTAINS BENEFICIAL SUBSTANCES:

Other Test Methods:

Total Humic Acids (HA)	40.0%
(Analysis using the HPTA or ISO 19822 Method)	
Total Humic Acids (HA)	35.0%
(Analysis using the CDFA Method)	

Derived from leonardite; less than 1% dust and 7% moisture.

SOIL AMENDMENT

Applications can be made as often as every 30 days, as needed.

APPLICATION

METHOD	SUGGESTED RATE		
		ops, Sod, ialty Crops	Tree or Vine Crops
Soil banded or side dressed	Up to 25 lb/ac,	0.60 lb/1,000 ft²,	Up to 50 lb/ac,
	25 kg/ha	0.25 kg/100 m²	50 kg/ha
Soil broadcast incorporated	Up to 50 lb/ac,	1.20 lb/1,000 ft²,	Up to 100 lb/ac,
	50 kg/ha	0.50 kg/100 m²	100 kg/ha

Product Density: 40 lb/ft³

Net Wt. 45 lb Net Wt. 20.4 kg

SAFETY

OM PRILLED

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.aapfco.org/metals.html

Ingestion of this product may cause gastrointestinal irritation or pain. Inhalation of dust may cause respiratory irritation.

CLASSIFICATION: RESPIRATORY TRACT IRRITATION-HAZARD CATEGORY 3 SIGNAL WORD: WARNING HAZARD STATEMENT: H335; May cause respiratory irritation. PRECAUTIONARY STATEMENT: P261, P271; Avoid breathing dust. Use only outdoors or in a wellventilated area. P304+P340, P319; IF INHALED: Remove person to fresh air and keep comfortable for

PRODUCT CHARACTERISTICS: A dark reddish brown to black spherical prilled particles having no odor.

breathing. Get medical help if you feel unwell.

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant and soil conditions, and other factors are beyond the control of the seller.



Guaranteed by Huma, Inc. 1331 W. Houston Ave., Gilbert, AZ 85233 480.961.1220 ©2024 F003537 Publication No. HP&S-651-240617

huma.us