


# HUMA<sup>®</sup> SAFETY DATA SHEET **OM Soil Activator**

Rev F 6/29/2023

HMIS			
HEALTH	1		
FLAMMABILITY	0		
PHYSICAL HAZARD	0		
PPE	В		



PRODUCT IDENTIFIE	ER: OM Soil Act	ivator		Product #807				
GENERAL USE:	Used as a part	t of a plant nutrition prog	ıram.					
	<b>DN:</b> A dark brown l	liquid having a character	istic odor.					
SUPPLIER INFORMATION	, .	Huma, Inc. 1331 W Houston Avenue			EMERGENCY PHONE NUMBERS			
For Additional SDS call:		Gilbert, AZ 85233						
(480) 961-1220	PHONE: (48	0) 961-1220		CHEMIREC:	CHEMTREC: (In the USA) 800-424-9 (International) 703-527-			
	5	SECTION 2: HAZAR	DS IDENTIFIC	ATION				
HAZARDS OVERVIEW:	skin. Inhalation of	having characteristic od mists may be irritating ation, with cardiovascula	to the entire res	piratory tract. Inge	estion of			
	CLASSIFICATION	: MILD SKIN IRRITATIC	N – HAZARD C	ATEGORY 3				
	CLASSIFICATION SIGNAL WORD: W		)n – Hazard C	ATEGORY 3				
	SIGNAL WORD: W							
	SIGNAL WORD: W HAZARD STATEM	/ARNING	G - causes mild s	skin irritation.	emergen	cy medical ł	nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY	VARNING IENT: H316 - WARNING Y STATEMENT: P332+	6 - causes mild s P317—If skin in	skin irritation. itation occurs, get e	Ū	cy medical ł	nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY	6 - causes mild s P317—If skin in	skin irritation. itation occurs, get e	Ū	cy medical ł	nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING	9 - causes mild s P317—If skin iri 5 - MAY BE HA	skin irritation. itation occurs, get e RMFUL IF SWALL	Ū	cy medical ł	nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY	G - causes mild s P317—If skin iri 5 - MAY BE HA G – may be harn	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed.	OWED		nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING Y STATEMENT: P301+	G - causes mild s P317—If skin in 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc	OWED y medica		nelp.	
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING	G - causes mild s P317—If skin in 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc ON INGREDIEN	OWED y medica	al help.		
	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY SECTION 3:	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING Y STATEMENT: P301+ COMPOSITION & IN	G - causes mild s P317—If skin iri 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc ON INGREDIEN ACGIH	OWED y medica	al help. OS	GHA	
<u>COMPONENT</u>	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING Y STATEMENT: P301+	G - causes mild s P317—If skin in 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc ON INGREDIEN	OWED y medica	al help.		
<u>COMPONENT</u> Note: The ingredients in to product mixture are non- nazardous according to O CFR 1910.1200	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY SECTION 3: <u>CAS #</u>	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING Y STATEMENT: P301+ COMPOSITION & IN	G - causes mild s P317—If skin iri 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc ON INGREDIEN ACGIH	OWED y medica	al help. OS	GHA	
Note: The ingredients in t product mixture are non- nazardous according to O	SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY CLASSIFICATION SIGNAL WORD: W HAZARD STATEM PRECAUTIONARY SECTION 3: <u>CAS #</u>	VARNING IENT: H316 - WARNING Y STATEMENT: P332+ : HAZARD CATEGORY VARNING IENT: H303 - WARNING Y STATEMENT: P301+ COMPOSITION & IN	G - causes mild s P317—If skin iri 5 - MAY BE HA G – may be harn P317—If swallo	skin irritation. itation occurs, get e RMFUL IF SWALL iful if swallowed. wed, get emergenc ON INGREDIEN ACGIH	OWED y medica	al help. OS PEL <sub>(TWA)</sub>	GHA	

		SECTION 4: FIRST AID MEASURES			
INHALATION:		move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If e oxygen. Call a physician.			
EYE CONTACT:	In case of contact, imme and lower lids occasiona	ediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper ally. Remove contact lenses, if worn. Get medical attention if irritation persists.			
SKIN CONTACT:		skin with plenty of clean running water. Remove contaminated clothing and shoes and wash o occurs and persists, get medical attention.			
INGESTION:		s product are swallowed, call a physician immediately. DO NOT induce vomiting unless dical personnel. Never give anything by mouth to an unconscious person.			
NOTE TO PHYSICIANS:	ingested, consideration possible central nervous	formation, this product may be slightly to moderately toxic by ingestion. If a large amount is should be given to careful endoscopy as stomach or esophageal irritation may occur, with a system effects following absorption into the blood stream. Careful gastric lavage with an ce should be considered. Treat exposure symptomatically.			
		SECTION 5: FIRE FIGHTING MEASURES			
Flashpoint an	d Method: This product	does not flash.			
Flammable Li	mits (in air, % by volume)	Lower: Not applicable Upper: Not applicable			
Autoignition T	Temperature: Not application	able			
GENERAL HAZAI		ueous, moderately alkaline solution of organic and inorganic compounds. The Uniform Fire classification for this product is: <b>Irritant</b> . It may produce hazardous decomposition products.			
FIRE FIGHTING II	NSTRUCTIONS:	<b>EXTINGUISHING MEDIA:</b> Water, foam, CO <sub>2</sub> or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.			
FIRE FIGHTING E	QUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.			
HAZARDOUS CO	MBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic carbon monoxide, carbon dioxide, phosphorus oxides, nitrogen oxides, sulfur oxides and potassium oxide with trace or ultra-trace toxic oxide amounts, of iron, manganese, magnesium, calcium, zinc and sodium.			
	SEC	FION 6: ACCIDENTAL RELEASE MEASURES			
RELEASE TO LAND:	a vacuum truck, or absorb disposal, or satellite accu appropriate for neutralizing	rotective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or the liquid in sand or a commercial absorbent. Place in approved containers for recovery, umulation. Neutralize the alkalinity, of the remaining liquid, using a dilute acid solution g alkaline liquids. Liberally cover the spill area with sodium bicarbonate. Flush the spill area ates for disposal or sewer, as appropriate.			
RELEASE TO WATER:		ective equipment and clothing if contact with hazardous material can occur. Stop or divert nated water and remove for disposal and/or treatment. As appropriate, notify all downstream nation.			
SECTION 7: HANDLING AND STORAGE					
STORAGE TEMPERATURE: Ambient STORAGE PRESSURE: Ambient					
<b>GENERAL:</b> Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Do not store in direct sunlight. Protect the eyes, skin and clothing from contact with this product. Wear the recommended protective equipment. Avoid breathing the vapors or mists. Use with adequate ventilation. Do not take internally. Wash thoroughly after handling this product.					

	SECTION 8: EXP	OSURE CO	NTROLS / PERSONAL PROTEC	TION		
CONTROL MEASURES:	<b>CONTROL</b> Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,					
RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT						
RESPIRATOR:						
EYES:	Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. <b>Note:</b> Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.					
GLOVES:			Natural Rubber gloves. <b>Note:</b> Alway itability of gloves prior to use.	ys consult the glove manufacturer's		
CLOTHING & EQUIPMENT:	<b>CLOTHING &amp;</b> If contact is likely, wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron when handling this product. An					
FOOTWEAR:	<b>FOOTWEAR:</b> In cleaning up a spill, or if contact is likely, wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. <b>Note:</b> Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.					
	SECTION 9:	PHYSICAL	AND CHEMICAL PROPERTIES			
Appearance:	Dark Brown		Bulk Density (pounds/ft³):	Not applicable		
Physical State:	Liquid		Vapor Pressure:	No data available		
Odor:	Characteristic		Vapor Density (air=1):	No data available		
Odor Threshold:	No data available		Evaporation Rate (n-Butyl Acetate=1):	No data available		
Molecular Formula:	Mixture		VOC Content / Organic Matter:	No data available / 29.0%		
Molecular Weight:	Not applicable		% Volatile:	No data available		
Boiling Point:	Greater than 100° C. (21	l2° F.)	Solubility in H₂O:	Soluble		
Freezing/Melting Point:	Less than 0° C. (32° F.)		Octanol/Water Partition Coefficient:	No data available		
Specific Gravity:	1.19 @ 20° C.		pH (as is):	4.5 - 5.5		
Density (pounds/gallon):	Approximately 9.93		pH (1% solution):	No data available		
SECTION 10: STABILITY AND REACTIVITY						
GENERAL: This						
<b>CONDITIONS TO AVOID:</b> Do not store this product below 50° F (10° C) or above 90° F (30° C)						
INCOMPATIBLE MATERIAL: Oxidizers, caustics & strong alkali and all acids.						
<b>HAZARDOUS DECOMPOSITION PRODUCTS:</b> When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic oxides of carbon, phosphorus, nitrogen, sulfur and potassium oxide with trace or ultratrace toxic oxide amounts, of iron, manganese, magnesium, calcium, zinc and sodium.						
SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.						
<b>SENSITIVITY TO STATIC DISCHARGE:</b> This product is <u>not</u> sensitive to static discharge.						

# SECTION 11: TOXICOLOGICAL INFORMATION

Components:	Note: The ingredients in this product mixture are non-hazardous according to OSHA 29 CFR 1910.1200
Eye Contact:	No data available
Skin Contact:	No data available
Oral Rat LD₅₀:	No data available
Dermal Rabbit LD₅₀:	No data available
Inhalation Rat LC₅₀:	No data available
Human Data:	No data available
Other Toxicological Data:	No data available
Carcinogenicity:	No data available
Teratogenicity:	No data available
Mutagenicity:	No data available
Synergistic Products:	No data available
Target Organs:	Skin
Medical Conditions Aggravated By Exposure:	Skin

# SECTION 12: ECOLOGICAL INFORMATION

#### ENVIRONMENTAL FATE:

This product is soluble in water and may slightly affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 CLASSIFICATON:

Non-RCRA Hazardous Waste

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

	SECTION 14: TRANSPO	RTATION INFORMATION	
DOT PROPER SHIPPING NAME:	Not DOT Regulated Hazard Class: N/A	UN Number: N/A	Packing Group: N/A
	Primary Label: None Primary/Subsidiary Placards:	Subsidiary Label(s): None None	
DOT Reportable Quantity (RQ):	Not listed	RQ for Product: Not applicat	ble
Marine Pollutant:	No		
2012 North American Emergency R	Response Guidebook No.: N/A	A	
TDG PROPER SHIPPING NAME:	NOT RESTRICTED Hazard Class: N/A Primary Label: None	UN Number: <sub>None</sub> Subsidiary Label(s):	Packing Group: N/A
	Primary/Subsidiary Placards:	None	None
TDG Reportable Quantity (RQ): *	Not applicable		
TDG Schedule XII:	Not listed		
Regulated Limit (RL): **	Not listed	RL for Product: N/A	
Other Shipping Information:	None		

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

# SECTION 15: REGULATORY INFORMATION

Note: The ingredients in this product mixture are non-hazardous according to OSHA 29 CFR 1910.1200
Skin
No
No
No
Not applicable
Not listed
Not applicable
Not applicable
Not listed
Not applicable
Not listed
Not applicable
Not applicable

	SEC	CTION 15:		FORMATIC	N (Continue	ed from Page 5)	
COMPONENTS	:	<u>Urea</u>					
	<b>12</b> (40 CFR 370): ries ( <b>product</b> ): eshold:	Fire: <u>N</u> NA	Sudden Release of	Pressure: <u>N</u>	Reactive: <u>N</u>	Acute Health: <u>Y</u>	Chronic Health: <u>N</u>
Section 313 (40 Listed Toxic C Reporting Th	hemical:	Not liste Not app					
U.S. TSCA Sta Listed (40 CFF		Not List	ed				
State Regulat State of Californ Carcinogen: Reproductive	nia: Safe Drinking	<b>Water and T</b> No No	oxins Enforcement A	ct, 1986 (Propo	sition 65):		
Other Regulation		None kr	nown				
Canadian Regul Product Informa Controlled Pro WHMIS Hazard WHMIS Class	a <b>tion:</b> duct: d Symbols:	No NA NA					
Ingredient Infor IDL Substance DSL or NDSL I	:	No DSL					
			SECTION 16: 0		RMATION		
EPA Registratio	on number: N	lot applicabl					
Approved Prod	uct Uses: L	lsed as a pa	rt of a plant nutrition	program.			
Special Notes:							
birth defec or ultra-tra <b>Special in</b> Store OM	ts or other reproc ce (parts per billic <b>structions:</b> Soil Activator in a	ductive harm on) of eleme a cool, dry, w	<ul> <li>However, as it connuction</li> <li>https://www.connuctions.connuction</li> <li>https://wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww</li></ul>	ntains mined r e of California way from inco	ninerals, this p to cause cano mpatible mate	product may contain t cer, birth defects or o	to cause cancer and/or trace (parts per million) ther reproductive harm.
SDS Revision Infe	ormation: Re	evision Date:	6/29/2023				
SDS Distributed	<b>l by:</b> Huma, Inc.						
Prepared By:	Anna Carenter			Date Prepar	ed: Augus	st 28 <sup>th</sup> 2018	
legal liability. Wh	ile Huma, Inc. belie estigate and verify i	ves the inforn	nation contained herein	is accurate and	compiled from s	sources believed to be r	r which Huma, Inc. assumes reliable, it is the responsibility lance with applicable federal,