



HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	D

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: Om Zinc	Product # 885
GENERAL USE: Used as a part of a plant nutrition program.	
PRODUCT DESCRIPTION: A slightly hazy amber liquid having a strong characteristic odor.	
SUPPLIER INFORMATION: Huma, Inc. 1331 W Houston Avenue Gilbert, AZ 85233 For Additional SDS call: 480-961-1220	<div style="border: 1px solid black; padding: 5px; text-align: center; color: red; font-weight: bold;">EMERGENCY PHONE NUMBERS</div> <p>CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887</p> <p>PHONE: (480) 961-1220</p>

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW:

A slightly hazy amber liquid having a strong characteristic odor. The liquid and mists may cause irritation to the eyes, skin and respiratory tract. This product may be toxic by ingestion or inhalation of high mist concentrations.



CLASSIFICATION: HAZARD CATEGORY 2

SIGNAL WORD: N/A

HAZARD STATEMENT: H411; Toxic to aquatic life with long lasting effects.

PREVENTION: P273; Avoid release to the environment if this is not the intended use; P391; Collect spillage; P501; Dispose of contents/containers in accordance with federal, state and local laws regulating fertilizers.

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317—If skin irritation occurs, get emergency medical help.



CLASSIFICATION: HAZARD CATEGORY 4

SIGNAL WORD: WARNING

HAZARD STATEMENT: H302; Harmful if Swallowed

PRECAUTIONARY STATEMENT: P301+P317—If swallowed, get emergency medical help., P330; Rinse Mouth P264; Wash hands thoroughly after handling, P270; Do not eat, drink or smoke when using this product.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Zinc Sulfate Monohydrate	7446-19-7	Eye, Skin & Respiratory Irritant; Cardiovascular; Blood & Central Nervous System toxin	28 ± 3	None	None	None	None
Citric Acid Anhydrous	77-92-9	Severe Eye Irritant; Moderate to Severe Skin & Respiratory Irritant	1 ± 0.25	None	None	None	None

NDA = No Data Available

N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT:	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method:	This product does not flash.		
Flammable Limits (in air, % by volume)	Lower:	Not applicable	Upper: Not applicable
Autoignition Temperature:	Not Determined		
GENERAL HAZARD:	This product is an aqueous solution of inorganic salts that are in a moderately acidic solution. The Uniform Fire Code health hazard classification for this product is: Irritant . This product may produce hazardous mists or hazardous decomposition products.		
FIRE FIGHTING INSTRUCTIONS:	EXTINGUISHING MEDIA:	Water, foam, CO ₂ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.	
FIRE FIGHTING EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
HAZARDOUS COMBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic zinc, manganese and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, nitrogen, sulfur, iron, magnesium, calcium, sodium and carbon.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
RELEASE TO WATER:	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE:	Ambient	STORAGE PRESSURE:	Ambient
GENERAL:	Store in a cool, dry, well-ventilated area away from incompatible materials and products. Do not get this product in eyes, on skin or on clothing. Wear recommended protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use only with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: For exposure above the ACGIH-TLV, OSHA-PEL or levels that may cause irritation, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber, or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: If contact is likely, wear a Neoprene, Nitrile, Butyl Rubber, or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Slightly hazy amber	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	Strong Characteristic	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	No data available
Molecular Formula:	Mixture	VOC Content / Organic Matter:	No data available / 1.0%
Molecular Weight:	Not applicable	% Volatile:	No data available
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.31 @ 20° C.	pH (as is):	1.5 - 2.5
Density (pounds/gallon):	Approximately 10.93	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Contact caustics and alkali, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of zinc, manganese and copper, with trace or ultra-trace toxic oxide amounts of potassium, nitrogen, sulfur, iron, magnesium, calcium, sodium and carbon.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Zinc Sulfate Monohydrate</u>	<u>Citric Acid Anhydrous</u>
Eye Contact:	Rabbit: 420 ug; Moderate	Rabbit: 750 ug/24 Hours; Severe
Skin Contact:	No data available	Rabbit: 500 mg/24 Hours; Moderate
Oral Rat LD₅₀:	1,710 mg/kg	3 gm/kg
Dermal Rabbit LD₅₀:	No data available (Subcutaneous LD ₅₀ : 300 mg/kg)	No data available
Inhalation Rat LC₅₀:	No data available	No data available
Human Data:	Oral Human TD _{Lo} : 45 mg/kg/7 Days; Cardiac & Blood Effects	No data available
Other Toxicological Data:	Subcutaneous Rat LD _{Lo} : 330 mg/kg	Intravenous Mouse LD ₅₀ : 42 mg/kg
Carcinogenicity:	Subcutaneous Rabbit LD _{Lo} : 3,625 ug/kg/5 Days – Tumorigenic – Tumors at site of application	No data available
Teratogenicity:	Oral Rat TD _{Lo} : 333 mg/kg (female 1-18 Days pregnant) Effects on fertility – Post implantation mortality	No data available
Mutagenicity:	Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours	No data available
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems	Eyes, Skin, Mucous membranes, Lungs & Teeth
Medical Conditions Aggravated By Exposure:	Skin, Respiratory or Heart disorders	Skin or Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and can affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Corrosive

U.S. EPA WASTE NUMBER/DESCRIPTION: D002

If this product is disposed of as shipped, it meets the criteria of a hazardous waste as defined under 40 CFR 261 due to its corrosivity. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal Restrictions under 40 CFR 268 and must be managed accordingly. As a hazardous liquid waste, it must be disposed of in accordance with local, state, and federal regulations in a permitted hazardous waste treatment, storage, and disposal facility.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Zinc Sulfate)

Hazard Class: 9 **UN Number:** UN3082 **Packing Group:**

Primary Label: Class 9 **Subsidiary Label(s):** None

Primary/Subsidiary Placards: Class 9

DOT Reportable Quantity (RQ): * 1000 pounds (Zinc Sulfate) **RQ for Product:** 3,572 pounds (327 gallons)

Marine Pollutant: Yes (Severe Marine Pollutant) Applicable to transport by water & in any bulk packaging.

2012 North American Emergency Response Guidebook No.: 171

TDG PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Zinc Sulfate)

Hazard Class: 9 **UN Number:** UN3082 **Packing Group:**

Primary Label: Class 9 **Subsidiary Label(s):** None

Primary/Subsidiary Placards: Class 9

TDG Reportable Quantity (RQ): * At least 30kg

TDG Schedule XII: Not listed

Regulated Limit (RL): ** Not Listed **RL for Product:** Not Applicable

Other Shipping Information: Note: In a packaging holding 395 pounds, or more, the shipping name must be preceded by: "RQ.". All the hazardous material shipping descriptions, for this product, must be followed by "(Marine Pollutant)". The Marine Pollutant marking must be on all tote size packaging.

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS:	<u>Zinc Sulfate Monohydrate</u>	<u>Citric Acid Anhydrous</u>
<u>OSHA Target Organs:</u>	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems	Eyes, Skin, Mucous membranes, Lungs & Teeth
<u>Carcinogenic Potential:</u>		
Regulated by OSHA:	No	No
Listed on NTP Report:	No	No
Listed by IARC:	No	No
IARC Group:	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance:	Yes	Not listed
Reportable Quantity:	1, 000 pounds	Not applicable
Category:	C	Not applicable
RCRA Waste No.:	Not listed	Not applicable
Unlisted Substance:	Not applicable	Yes
Reportable Quantity:	Not applicable	100 pounds
Characteristic:	Not applicable	Corrosivity
RCRA Waste No.:	Not applicable	D002

SECTION 15: REGULATORY INFORMATION (Continued from Page 5)

COMPONENTS:	<u>Zinc Sulfate Monohydrate</u>	<u>Citric Acid Anhydrous</u>
--------------------	---------------------------------	------------------------------

SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance:	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable

Section 311 & 312 (40 CFR 370):

Hazard Categories (product):	Fire: <u>N</u>	Sudden Release of Pressure: <u>N</u>	Reactive: <u>N</u>	Acute Health: <u>Y</u>	Chronic Health: <u>N</u>
Planning threshold:	10,000 pounds	10,000 pounds			

Section 313 (40 CFR 372):

Listed Toxic Chemical:	Yes (Zinc Category)	Not listed
Reporting Threshold:	10,000 pounds	Not applicable

U.S. TSCA Status

Listed (40 CFR 710):	Yes	Yes
-----------------------------	-----	-----

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen:	No	No
Reproductive Toxin:	No	No

Other Regulations

State Right To Know Laws:	None known	MA, NJ, PA
----------------------------------	------------	------------

Canadian Regulations

Product Information:

Controlled Product:	Yes	
WHMIS Hazard Symbols:	Material Causing Other Toxic Effects	
WHMIS Class & Division:	D.2B	

Ingredient Information:

IDL Substance:	Yes	Yes
DSL or NDSL Lists:	DSL	DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as containing mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions:

When making dilutions, always add OM Zinc to water with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers, or chlorinated cleaners as this can liberate toxic, corrosive Chlorine gas.

SDS Revision Information: Revised Date: 6/29/2023

SDS Distributed by: Huma, Inc.

Prepared By:	Anna Carpenter	Date Prepared:	May 3 rd 2018
---------------------	----------------	-----------------------	--------------------------

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.