HUMA®

INSTRUCTIONS

PREPARATION: Shake well before use. This product will separate. Constant tank agitation is required to ensure a homogenous tank mixture. This product mixes readily with water. To prepare the spray mixture, fill the mix or spray tank with three-fourths of the required amount then add the proper amount of PROMAX®. Complete filling the mix or spray tank with the balance of water needed. Mix well. continually stirring. Determine compatibility prior to mixing by performing a jar test using appropriate quantities of each material and water. Meant for soil application: do not apply foliarly to growing crops in concentrations > 1%.

APPLICATION: Apply spray solution in properly maintained and calibrated equipment capable of delivering the desired volumes. It is important when using PROMAX® as a protective or curative fungicide and nematicide that material be incorporated into the soil. This can be accomplished as a soil drench, mechanical incorporation, or as an in-furrow application watered in. As this product functions mostly on contact, the more complete the soil coverage, the better the product performs. The higher rates should be used on heavy soils, in fields with a history of disease problems, or when weather conditions are expected to be favorable for rapid disease growth or nematode activity.

CONSULT: Consult your local Huma® Representative or qualified individual/institution for use-specific recommendations.

STORAGE & DISPOSAL: Store in a cool, dry, well-ventilated area, away from incompatible materials and products. If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C. nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

DISCLAIMER: This product has not been registered by the U.S. Environmental Protection Agency. Huma®, Inc. represents that this product is NOP compliant and gualifies for exemption from registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buver and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant conditions, and other factors are beyond the control of the seller.

ACTIVE INGREDIENTS

Thyme Oil	
Inert Ingredients*	96.5%
Total Ingredients	100.0%
*Contains water, molasses, glycerin	

Promax® is a protective and curative soil fungicide and nematicide recommended for control of soil-borne diseases and plant parasitic nematodes that controls by contact. For use on all plants. For use on all food or nonfood crops. Best results are achieved when used in a preventive program following recommended rates and application directions. Carefully read, understand, and follow label directions.

SHAKE WELL BEFORE USE

Repeat application every 15–20 days for disease and nematode control. as needed. Preharvest interval: Promax® may be applied at any time up to and including the day of harvest with zero re-entry restrictions.

APPLICATION

METHOD	SUGGESTED RATE	
	Field Crops, Sod, and Specialty Crops	
General application to soil through	Initial: 1–2 gal/ac, 10–20 L/ha	Initial: 3–6 oz/1000 ft², 105–210 mL/100 m²
drip, center pivot, boom sprayer, drench, or other fertigation	Sustaining: 0.5–1.0 gal/ac, 5–10 L/ha	Sustaining: 2–3 oz/1000 ft², 70–105 mL/100 m²

PRODUCT CHARACTERISTICS: A hazy to opaque, brown liquid having a unique characteristic odor. The color, pH, specific gravity, as well as the smell, can vary. Variations may occur due to changes in temperature, atmospheric pressure, weather conditions, and/or exposure to light from when the product leaves the factory until it reaches the final consumer.

9.10 lb per gallon @ 68°F. 1.09 kg per liter @ 20°C. pH 5.0-6.0



2.5 gallons • Net Wt. 22.75 lb

9.46 liters • Net Wt. 10.31 kg



Guaranteed by Huma, Inc. 1331 W. Houston Ave., Gilbert, AZ 85233 480.961.1220 © 2024 F003537 Publication No. HP&S-840-240620

SAFFTY KEEP OUT OF REACH OF CHILDREN

PROMAX[®]

To protect eyes and skin from contact with this product, applicators and other handlers must wear a long-sleeved shirt, long pants, shoes and socks, protective evewear, and chemical resistant gloves made of neoprene, nitrile, or natural rubber. Avoid breathing vapors, aerosols, or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly with soap and water after handling this product.

Exposure to this product's mists or liquid may cause severe irritation to the eyes and may cause irritation to the skin and respiratory tract. This product can be toxic upon ingestion. It may cause an allergic reaction to sensitive persons.

CLASSIFICATION: HAZARD CATEGORY 3-MILD SKIN IRRITATION

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316-WARNING-Causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P317-If skin irritation occurs, get emergency medical help.

FIRST AID MEASURES:

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-tomouth method if victim ingested or inhaled the substance; use the Holger Nielson method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: In case of contact, remove contact lenses. if worn, and immediately flush eyes with plenty of clean running water for at least 15 minutes. Get medical attention as soon as possible.

SKIN CONTACT: In case of contact, immediately flush skin with plenty of clean running water for at least 15 minutes, while removing contaminated clothing and shoes. If burn or irritation occurs, call a physician.

INGESTION: If swallowed, DO NOT induce vomiting. Get medical attention immediately. If victim is fully conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS: Aspiration hazard. May cause lung injury if ingested while swallowing or vomiting. Stomach or esophageal irritation, possibly severe, may occur. Consider careful endoscopy or gastric lavage with an endotracheal tube. Treat exposure symptomatically.