

The Value of Humic Substances in the Carbon Lifecycle of Crops: Humic Acids, Fulvic Acids, and Beyond.

By Larry Cooper, with Rita Abi-Ghanem, PhD

The following article was originally published in the January 2017 issue of AgroPages Magazine.

Humic substances play an important role in soil fertility and crop yield. This article provides a basic overview of what humic substances are, how they are created, and how they work. Discussion is provided on how to add humic content to crop soil, including the use of commercial products such as the Huma Gro® line of carbon-rich organic acids.

Everyone who works in agriculture is aware of the basic lifecycle of crops: plants are seeded, they are nourished and they grow, they are harvested, and what is not consumed by (us) higher life forms is returned to the soil—where it is broken down through mineralization and by microorganisms so that it can be used to nourish the next cycle of crops. That relatively simple scenario is created by a wonderfully complex interchange of chemical, physical, and biological actions that scientists are still struggling to fully understand after 10,000 years of practical farming.

As with everything else on this planet, the story of humic substances begins and ends with carbon. All life on this planet is carbon-based: humans, animals, plants, insects, microorganisms . . . carbon is essential to building everything biological and keeping it powered and in working order. Plants pull carbon from the air (carbon dioxide) and through a series of reactions merge the carbon with energy from sunlight (photosynthesis) and hydrogen from water, eventually creating carbon-rich organic compounds required by plants throughout their metabolic pathways. A very important characteristic of carbon as an element is that it has a unique capacity to modify itself and, through functional group extensions, combine with many other elements to form shorter and longer carbon chains, rings, and complex organic compounds as required in the processes.¹

What Are Humic Substances?

When plants end their life cycle, their components are decomposed through the aid of mineralization and

microorganisms and returned to the soil as organic matter. About 70% of soil organic matter is humus, a brown to black complex variable of carbon-containing compounds that is slow to decompose under natural conditions and can persist in the soil for several hundred years. The humic substances that, in turn, make up humus are relatively large organic carbon-chain complexes that are composed of carbon, oxygen, hydrogen, nitrogen, and sulfur. These humic substances, which contribute to the brown or black color of surface soils, can be divided into three major categories: humin, humic acids (HAs), and fulvic acids (FAs).² (See Fig. 1.) These are functional categories based largely on molecular size and their solubility in water adjusted to different pH conditions.³

Humins are very large molecules (molecular weight of 100,000 to 10,000,000 Da) that are not soluble in water at any pH level and are, consequently, very slow to break down. Within soil, humin improves structure, water-holding capacity, and stability. Humin also functions as a cation exchange system that aids the soil’s ability to storehouse plant nutrients.

Humic acids have a smaller molecular size than humins (molecular weight of 50,000 to 100,000 Da, with 1,000s of carbon rings) and are soluble in water under alkaline conditions. Because other elements readily bind to humic acid molecules in a form that can be easily absorbed by





Figure 1. Chemical Properties of Humic Substances⁴



plants and microorganisms, humic acids function as important ion exchange and chelating systems.

Fulvic acids have molecules that are smaller than humic acids (molecular weight of 5,000 to 10,000 Da, with 100s of carbon rings), are water soluble at all pH levels, and have a higher oxygen content than humic acids. Because of their relatively small molecular size, fulvic acids can easily enter plant roots, stems, and leaves, transporting trace minerals directly to metabolic sites in plant cells.

As mentioned, these three humic-substance categories are largely functional in nature: scientists have had a difficult time classifying them based on identifiable physical structure (chemical formulae) because the structures always vary depending on the original organic source, the conditions of decomposition, and the stage of decomposition. Different samples of substances identified as humic acids, for example, may function quite differently in soil.

Benefits of Humic Substances

The Humic Products Trade Association⁵ has conducted a review of the scientific literature and has approved three primary label claims for agricultural application of humic substances:

- **Improved root mass and growth**
- **Enhanced nutrient availability and uptake**
- **Higher crop yield and quality**

How are these benefits accomplished? We'll discuss a few of these mechanisms here:

- The presence of carbon-containing humic substances in soil results in electrical processes that cause very small soil particles to attract each other to create a crumb structure in the top soil, which has open spaces that allow gaseous exchange with the atmosphere and better water infiltration. This resulting soil structure also increases the water-holding capacity of soil, protecting plants during times of drought.
- Energy stored within the carbon bonds of humic substances represents an excellent food source for soil microorganisms that perform a wide range of functions that contribute to soil and plant health—everything from solubilization of minerals that are bound up in the soil to releasing antibiotics that protect plants from pests.
- Humic substances have an insulating property that helps to stabilize soil temperatures and slow the rate of water evaporation, which protects plants during change periods of heat and cold.
- Humic substances can also stabilize or inactivate certain soil enzymes released by plant pathogens, rendering them less able to damage plants.
- Further, humic substances can buffer soil pH, making the soil less alkaline or less acidic. This results in helping trace elements that may have been bound up in the soil due to acidic or alkaline conditions to now become available to the plants as nutrients.
- Additional soil benefits are that toxins left in the soil from pesticides can be degraded or inactivated by humic acids, and the addition of humic substances to soils containing excessive salt can help reduce the salt concentration, making the soil more suitable for plant growth.
- Humic substances help regulate the retention and release of plant nutrients. The higher cation exchange capacity (CEC) that occurs when humic substances are present in soil increases a soil's ability to retain positively charged plant nutrients (e.g., NH_4^+ , Mg^{2+} , Ca^{2+} , and Na^+) and reduces the potential for leaching. Soil CEC also influences the application rates of lime and herbicides required for maximum effectiveness.⁶
- When adequate levels of humic substances are present in soil, plants have an enhanced ability to take up

nitrogen, phosphorus, and potassium—reducing the amounts of N-P-K fertilizers required.

- Application of humic or fulvic acids to seeds speeds up seed germination, enhances root development, and activates seedling growing points.
- Humic substances influence plant growth hormones and provide free radicals to plant cells, which have positive effects on seed germination, root initiation, and plant growth in general.
- Humic and fulvic acids, while not fertilizers themselves, are excellent fertilizer carriers and activators. Foliar fertilizers containing humic or fulvic acids have been demonstrated to be from 100% to 500% more effective than similar fertilizers applied to the soil.² Applications can be timed to activate vegetative growth, flowering, fruit set, or filling and ripening of fruits.

Adding Humic Substances to the Soil

Maximizing Farm Practices

It is estimated that in the Midwestern United States, the majority of soils converted from natural to agricultural systems have lost 30% to 50% of their original soil organic carbon.⁷ Farming practices can go a long way toward maintaining or adding to the amount of organic matter in the soil. The type of tillage used on a field can greatly influence the amount of carbon lost from the soil. The deeper and more aggressive the tillage, the more carbon is lost in the form of carbon dioxide. For example, it is estimated that strip tillage loses only 18% of the carbon lost to moldboard plowing.⁶

Crop rotations that include cover crops, perennial grasses, and legumes have a positive effect on soil carbon content and soil biodiversity, especially when plowed under or incorporated into the soil as green manure.

Adding Commercial Products

There are a number of commercial versions of humic and fulvic acids available for agricultural use; these are sold as dry granular products, liquid products, or powders. They are usually derived from humates, oxidized lignites, or leonardite ore. However, studies have shown that the various products can vary in effectiveness depending on the nature of the source materials used and the manner in which they are manufactured and processed.⁸ Leonardite ore is generally considered to be one of the better sources for deriving humic substances. More research needs to focus on improving methods to accurately and reliably quantify humic and fulvic acids in raw ores and products.

The Humic Advantages of Huma Gro® Products

As the Huma Gro® name would suggest, our crop nutrition products have a deep connection to humic substances. The conception of all of our products starts with our leonardite mine in Idaho. Leonardite is a soft, humic material that is rich in carbon. Our particular mine is relatively unique in that the leonardite deposit was never compressed or heated to become coal, and it was never covered with an ocean or salt water and therefore does not contain any heavy metals. Over the past 40+ years we have




Figure 2. Molecular Size Comparison of Humic Acids, Fulvic Acids, and Micro Carbon Technology®

developed a base concentrate from this leonardite ore that is a proprietary blend of extremely small carbon- and oxygen-rich organic molecules that act as a source of carbon and provide an ultra-efficient vehicle to move nutrients and agrochemicals into the plant through the soil and/or the leaves. We've come to call the proprietary process we use to create our products "Micro Carbon Technology," or MCT. In effect, we've speeded up the natural processes that create humic and fulvic acids from organic material and extended those processes to create something with a much smaller carbon molecule (molecular weight of less than 500 Da, with fewer than 10 carbon rings, see Fig.2) with expanded available surface area for attaching to nutrient elements. It works on the same principles that make the carbon in humic and fulvic acids so effective in contributing to plant growth, with the added benefit of its smaller molecular size making it even more effective in foliar applications without plant tissue burn when used as directed.




Because MCT is used as a carrier for all of our liquid plant nutrition products (macronutrients, micronutrients, optimal growth management, sustainable soil fertility, etc.), the humic benefit is always there in everything that comes from Huma Gro®. However, we also produce several products that are strictly humic substances:

- **Huma Burst®**—our only non-liquid product, this is a 70% humic acid dry material that has been created as a crumble that can be soil-applied with other granular fertilizers or by itself. This is raw leonardite ore that has been screened to a very uniform, small size that will spread evenly across a field without patching up or blowing away. It should be incorporated into the soil at a rate of 50 lb/acre or 50 kg/hectare. Huma Burst® is the option to use when a grower is looking for a humic acid that has a long-term release for creating sustainable soil. It also works well as an additive to compost.
- **Huma Pro®**—this is a liquid product, a 6% humic acid that also has our MCT added to provide both a long-term and a short-term benefit. It can be mixed with soil-applied fertilizers at a rate of 1 to 2 gallons per acre or 10 to 20 liters per hectare. The one-two punch of humic acid plus MCT applied in the spring pre-plant and the fall post-harvest is an excellent approach to building or rebuilding soil fertility.
- **Fulvi Pro®**—is a liquid fulvic acid product. There is not a standard method established for reporting fulvic acid percentages, but we estimate it to be a 25% fulvic acid product. It can be applied with other liquid solutions or by itself; because fulvic acids can burn plant tissues when foliarly applied, this product should be diluted to 10% before application. It also contains MCT for that short-term-long-term benefit when applied to soil.
- **X-Tend®**—is a liquid product that has our highest concentration of MCT along with 6% nitrogen and 2% phosphorus. X-Tend® complexes nutrients for easier plant uptake, encourages root growth, and buffers salt in high alkaline or sodium soils. This is an excellent product to use when there is a soil that has nutrients blocked or tied up: it can help free those nutrients and get them into the crop. It is also designed to be mixed with other nutrients and pesticides to make them more efficient and effective. We recommend that, after adding X-Tend® to an agrochemical/nutrient solution, the solution be allowed to sit for 24 to 48 hours for microcarbon complexing to occur. We also offer X-Tend® B, which has a blue die added so that application can be verified when impregnated onto dry fertilizers.

The Story Begins and Ends With Carbon

Although it isn't often cited as such in crop nutrition literature, the most important crop nutrient after water is carbon. A recent USDA-NRCS video⁹ quotes Dr. Kris Nichols of the Rodale Institute as saying that "Carbon is the energy



currency of soil.” If crop soil is carbon deficient, crop yields will suffer even with ever increasing applications of fertilizers and herbicides. Long-term soil health can be greatly improved through proper tillage, soil husbandry, crop management, and the addition of organic materials for the natural production of humic substances. For a shorter-term solution, application of humic and fulvic acids to the soil will boost soil and microbiome health and production. For an immediate boost to a crop already in the field, foliar application of carbon-carried liquid nutrition at specific growth stages will provide the grower with precision control of crop yield and quality.

About the Authors: Rita Abi-Ghanem, PhD, is Senior Director of Research and Development, and Larry Cooper, MA, Cert/KM, is Communications Director, at Bio Huma Netics, Inc., the maker of Huma Gro® liquid nutrition and crop protection products.

For more information or a free consultation:

Contact Huma Gro® at <https://humagro.com/contact/> or call 1-800-961-1220.

To view the entire Huma Gro® product catalog online, go to <http://bit.ly/HumaGroCatalog2017>.

References

1. Jackson WA. (1993). *Humic, Fulvic, and Microbial Balance: Organic Soil Conditioning*. Jackson Research Center, Evergreen, Colorado.
2. Petit RE. (2002). *Organic Matter, Humus, Humate, Humic Acid, Fulvic Acid and Humin: Their Importance in Soil Fertility and Plant Health*, p. 1–24. Texas: A & M University. Available at <http://www.humates.com/pdf/ORGANICMATTERPetit.pdf>.
3. International Humic Substances Society. Available at <http://www.humicsubstances.org/>.
4. Stevenson FJ. (1982). *Humus Chemistry Genesis, Composition, Reactions*. Wiley Interscience, New York.
5. Humic Products Trade Association. Available at <http://www.humictrade.org/>.
6. Overstreet LF, DeLong-Hughes J. (2009). *Tillage: The Importance of Soil Organic Matter in Cropping Systems of the Northern Great Plains*. University of Minnesota Extension. Available at <http://www.extension.umn.edu/agriculture/tillage/importance-of-soil-organic-matter/>.
7. Lal R. (2002). Soil carbon dynamics in cropland and rangeland. *Environmental Pollution*, 116:353–362.
8. Seyedbagheri MM. (2015). *30 years of Research Documents the Influence of Humic Substances on Soil Health, Fertilizer and Water-Use Efficiency*. Conference Paper, University of Idaho Potato Conference. Available at https://www.researchgate.net/publication/286928913_30_YEARS_OF_RESEARCH_DOCUMENTS_THE_INFLUENCE_OF_HUMIC_SUBSTANCES_ON_SOIL_HEALTH_FERTILIZER_AND_WATER-USE EFFICIENCY
9. USDA-NRCS Video Series: *Unlock the Secrets in the Soil*, Chapter 5, Keep a Live Root in the Soil, or “A Radicle Idea.” June 10, 2016. Available at <https://youtu.be/qodG4MJeQvQ>.



Carbon-Rich **ORGANIC ACIDS**

Exclusive processes allow Huma Gro® to offer high-performing fertility products based on organic acid compounds rich in carbon. These natural organic acids are similar to the chemical make-up of the plants themselves, so it's easier for the roots or leaves to assimilate nutrients and put them to work more effectively. Our organic acids also work in buffering roots against the damaging effect of highly acidic or alkaline soils. With Huma Gro® carbon-rich organic acid products, your crops can maximize the potential of your fertilizer, resulting in better germination, more efficient foliar applications, and strong, vigorous growth.

"We needed help to reduce electrical conductivity and to make nutrients available to plants. HUMA GRO® was the solution to all our problems. By using the HUMA GRO® liquid fertilizer line, we're not only nurturing our plants but also improving the biological, physical, and chemical conditions of our soils."

—Claudio Falcone

”



X-TEND®/X-TEND® B

The Solution for Improving Fertilizer Efficiency

X-TEND®

Huma Gro® X-TEND® is an excellent source of Micro Carbon Technology® formulated with organic acids and nutrients to improve the efficiency and uptake of fertilizers. X-TEND® is excellent to release nutrients tied up in soils and is an outstanding additive for complexing most foliar nutrients and pesticides.

X-TEND® B

Huma Gro® X-TEND® B is a concentrated Micro Carbon Technology® product with high levels of organic acids and nutrients. X-TEND® B is formulated to be blended in liquid fertilizers or to be impregnated onto dry fertilizers, extending the effectiveness of the fertilizer or fertilizer solutions. X-TEND® B has a blue dye so that application can be verified.




BENEFITS:

- Complexes nutrients for easier plant uptake
- Encourages root growth
- Buffers salts in high alkaline or sodium soils

GUARANTEED ANALYSIS: 6-2-0

Total Nitrogen (N)6.0%
 6.0% Urea Nitrogen
 Available Phosphate (P₂O₅).....2.0%

Derived From: Urea, Phosphoric Acid.



APPLICATION METHOD

SUGGESTED RATE*

General application in soil	Up to 1 qt/ac, 2.5 L/ha
Liquid fertilizer solutions (soil-applied)	Up to 1 qt/40 gal of liquid, 1 L/160 L of liquid
Dry, non-coated, granular fertilizers	Up to 2 qt/ton of granular, 2 L/metric ton of granular



"Agricola Don Luis closed its season with 95% of its grapes collected in the first field run 'for export,' with 85% sold as premium quality, according to César Augusto Uculmana, Table Grape Manager, and Helio Gonzales. They credit their success to HUMA GRO® liquid fertilizers, with Micro Carbon Technology®."

—Red Agrícola, Apr 2015, Issue 21, pg 28-29



HumaGro.com

*Rates depend on frequency, method of application, and water volume, etc.
 Please consult a Huma Gro® Rep for more information.



FULVI PRO®

Total Fulvic Acid (FA) 25.00%*

Huma Gro® FULVI PRO® complexed with Micro Carbon Technology® is an activated liquid fulvic-acid source derived from highly oxidized leonardite material. FULVI PRO® provides a liquid carbon-rich foliar additive as well as a food substrate for the beneficial microbes in the soil.

- *Complexing of chemicals and fertilizers enabling a quicker uptake by plants*
- *A carbon food source for the beneficial microbial population of the soil food web*



CROP	FOLIAR*	IRRIGATION*	FREQUENCY
All crops	1–2 qt/ac 2.5–5 L/ha	0.5–2 gal/ac 5–20 L/ha	Apply as needed.

HUMA PRO®

Total Humic Acid (HA) 6.00%*

Huma Gro® HUMA PRO® complexed with Micro Carbon Technology® is an activated liquid humic-acid source derived from a highly oxidized, naturally occurring carbon and mineral deposit. HUMA PRO® treats unbalanced soil conditions caused by a lack of humic acid, promoting a stronger, healthier soil for sustainable plant growth.

- *Long-term soil organic matter building*
- *Long-term soil microbial activation*



APPLICATION METHOD	SUGGESTED RATE*
Soil banded	1–2 gal/ac, 10–20 L/ha
Soil broadcast	2–4 gal/ac, 20–40 L/ha

HUMA BURST®

Total Humic Acid (HA) 70.00%*

Huma Gro® HUMA BURST® is a dry, uniform, granulated humic acid product derived from a highly oxidized, naturally occurring carbon-rich material called leonardite. HUMA BURST® was created for the treatment of carbon-depleted soil conditions and improved organic matter balance.

- *Uniform granular size promotes even coverage/distribution of humic acid for long-term carbon benefit*
- *Long-term soil organic-matter building*
- *Increased water penetration*
- *Increased soil flocculation*
- *Promotes conversion of fertilizer into plant-available food*
- *Increases nutrient mineralization*
- *Long-term soil microbial activation*



APPLICATION METHOD	SUGGESTED RATE*
Soil banded	50–100 lb/ac, 50–100 kg/ha
Soil broadcast	100–200 lb/ac, 100–200 kg/ha



Powered by Micro Carbon Technology®

*Rates depend on frequency, method of application, and water volume, etc. Please consult a Huma Gro® Rep for more information.