

		SECTIO	N 4: FIRST AID ME	ASURES	
INHALATION:		If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.			
EYE CONTACT:		In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.			
SKIN CONTACT		In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.			
INGESTION:		If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.			
NOTE TO PHYSICIANS:					
		SECTION 8	5: FIRE FIGHTING	MEASURES	
Flashpoint a	nd Method: This product	does not fla	sh.		
Flammable L	imits (in air, % by volume)	Lower:	Not applicable	Upper:	Not applicable
Autoignition	Temperature: Not applic	able			
GENERAL HAZARD: This product is an aqueous, moderately alkaline solution of organic and inorganic compounds. The Uniform Fire Code health hazard classification for this product is: Irritant . It may produce hazardous decomposition products.					
FIRE FIGHTING	INSTRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO ₂ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.			
FIRE FIGHTING	EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.			
HAZARDOUS COMBUSTION PRODUCTS:		When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic carbon monoxide, carbon dioxide, phosphorus oxides, nitrogen oxides, sulfur oxides and potassium oxide with trace or ultra-trace toxic oxide amounts, of iron, manganese, magnesium, calcium, zinc and sodium.			
	SEC ⁻	TION 6: AC	CIDENTAL RELEA	ASE MEASURES	
RELEASE TO LAND:	a vacuum truck, or absort disposal, or satellite acc appropriate for neutralizin	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the alkalinity, of the remaining liquid, using a dilute acid solution appropriate for neutralizing alkaline liquids. Liberally cover the spill area with sodium bicarbonate. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.			
RELEASE TO WATER:	water flow. Dike contamir	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.			
		SECTION	7: HANDLING AND	STORAGE	
STORAGE TEM				STORAGE P	RESSURE: Ambient
	GENERAL: Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Do not store in direct sunlight Protect the eyes, skin and clothing from contact with this product. Wear the recommended protective equipment. Avoid breathing the vapors or mists. Use with adequate ventilation. Do not take internally. Wash thoroughly after handling this product.				

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION					
CONTROL MEASURES:					
RECOMMENDED PE	RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT				
RESPIRATOR:	Respiratory protection is not normally required. If use produces mists or aerosols that may cause irritation, a NIOSH approved half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. Note: Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.				
EYES:	Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note: Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.				
GLOVES:	Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.				
CLOTHING & EQUIPMENT:	If contact is likely, wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. Note: Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.				
FOOTWEAR: In cleaning up a spill, or if contact is likely, wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.					
	SECTION 9:	PHYSICAL	AND CHEMICAL PROPERTIES		
Appearance:	Dark Brown		Bulk Density (pounds/ft ³):	Not applicable	
Physical State:	Liquid		Vapor Pressure:	No data available	
Odor:	Characteristic		Vapor Density (air=1):	No data available	
Odor Threshold:	No data available		Evaporation Rate (n-Butyl Acetate=1):	No data available	
Molecular Formula:	Mixture		VOC Content / Organic Matter:	No data available / 29.0%	
Molecular Weight: Not applicable			% Volatile:	No data available	
Boiling Point: Greater than 100° C. (21		12° F.)	Solubility in H₂O:	Soluble	
Freezing/Melting Point: Less than 0° C. (32° F.)			Octanol/Water Partition Coefficient:	No data available	
Specific Gravity:	1.19 @ 20° C.		pH (as is):	4.5 to 5.5	
Density (pounds/gallon):	Approximately 9.93		pH (1% solution):	No data available	
	SECTI	ION 10: ST	ABILITY AND REACTIVITY		
GENERAL: This product is stable and hazardous polymerization will not occur.					
CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)					
INCOMPATIBLE MATERIAL: Oxidizers, caustics & strong alkali and all acids.					
HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic oxides of carbon, phosphorus, nitrogen, sulfur and potassium oxide with trace or ultratrace toxic oxide amounts, of iron, manganese, magnesium, calcium, zinc and sodium.					
SENSITIVITY TO MECHANICAL IMPACT: This product is <u>not</u> sensitive to mechanical impact.					
		-			
SENSITIVITY TO STATIC DISCHARGE: This product is <u>not</u> sensitive to static discharge.					

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	Note: The ingredients in this product mixture are non-hazardous according to OSHA 29 CFR 1910.1200			
Eye Contact:	No data available			
Skin Contact:	No data available			
Oral Rat LD₅₀:	No data available			
Dermal Rabbit LD₅₀:	No data available			
Inhalation Rat LC ₅₀ :	No data available			
Human Data:	No data available			
Other Toxicological Data:	No data available			
Carcinogenicity:	No data available			
Teratogenicity:	No data available			
Mutagenicity:	No data available			
Synergistic Products:	No data available			
Target Organs:	Skin			
Medical Conditions Aggravated By Exposure:	Skin			

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and may slightly affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION:

Non-RCRA Hazardous Waste

Not Applicable

U.S. EPA WASTE NUMBER/DESCRIPTION:

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

	SECTION 14: TRANSPO	RTATION INFORMATION	
DOT PROPER SHIPPING NAME:	Not DOT Regulated Hazard Class: N/A	UN Number: N/A	Packing Group: N/A
	Primary Label: None Primary/Subsidiary Placards:	Subsidiary Label(s): None None	
DOT Reportable Quantity (RQ):	Not listed	RQ for Product: Not applicat	ble
Marine Pollutant:	No		
2012 North American Emergency F	Response Guidebook No.: N/A	A	
TDG PROPER SHIPPING NAME:	NOT RESTRICTED		
	Hazard Class: N/A	UN Number: None	Packing Group: N/A
	Primary Label: None	Subsidiary Label(s):	None
	Primary/Subsidiary Placards:	None	
TDG Reportable Quantity (RQ): *	Not applicable		
TDG Schedule XII:	Not listed		
Regulated Limit (RL): **	Not listed	RL for Product: N/A	

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS:	Note: The ingredients in this product mixture are non-hazardous according to OSHA 29 CFR 1910.1200	
OSHA Target Organs:	Skin	
Carcinogenic Potential:		
Regulated by OSHA:	No	
Listed on NTP Report:	No	
Listed by IARC:	No	
IARC Group:	Not applicable	
ACGIH Appendix A:	Not listed	
A1 Confirmed Human:	Not applicable	
A2 Suspected Human:	Not applicable	
U.S. EPA Requirements Release Reporting CERCLA (40 CFR 302) Listed Substance: Reportable Quantity: Category: RCRA Waste No.: Unlisted Substance: Reportable Quantity: Characteristic: RCRA Waste No.:	Not listed Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
SARA TITLE III Section 302 & 303 (40 CFR 355): Listed Substance: Reportable Quantity: Planning Threshold:	Not listed Not applicable Not applicable	

SECTION 15: REGULATORY INFORMATION (Continued from Page 5) **COMPONENTS:** Urea Section 311 & 312 (40 CFR 370): Hazard Categories (product): Fire: N Sudden Release of Pressure: N Reactive: N Acute Health: Y Chronic Health: N Planning threshold: NA Section 313 (40 CFR 372): Listed Toxic Chemical: Not listed Reporting Threshold: Not applicable **U.S. TSCA Status** Listed (40 CFR 710): Not Listed State Regulations State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65): Carcinogen: No Reproductive Toxin: No Other Regulations State Right To Know Laws: None known **Canadian Regulations Product Information:** No **Controlled Product:** NA WHMIS Hazard Symbols: NA WHMIS Class & Division: Ingredient Information: IDL Substance: No DSL or NDSL Lists: DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as a part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special instructions:

Store X-Tend® OM in a cool, dry, well-ventilated area away from incompatible materials and products.

Do not add this product to strong alkali or caustic materials, as this will liberate toxic, corrosive Ammonia gas.

SDS Revision Information: Revision Date: 6/29/2023

SDS Distributed by: Huma, Inc.

Prepared By:	Anna Carpenter	Date Prepared:	June 19, 2020

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma, Inc. assumes legal liability. While Huma, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.