


SAFETY DATA SHEET Nutriplex



HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	C

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER: Nutriplex	Product# 410				
GENERAL USE:	Used as a microbial nutrition program for soil and water remediation.				
PRODUCT DESCRIPTION:	A clear to hazy, light green liquid having no characteristic odor.				
SUPPLIER INFORMATION:	Huma Inc. 1331 W Houston Avenue Gilbert, AZ 85233				
For Additional SDS call: PHONE: (480) 961-1220	<table border="1"> <tr> <th colspan="2">EMERGENCY PHONE NUMBERS</th> </tr> <tr> <td>CHEMTREC:</td> <td>(In the USA) 800-424-9300 (International) 703-527-3887</td> </tr> </table>	EMERGENCY PHONE NUMBERS		CHEMTREC:	(In the USA) 800-424-9300 (International) 703-527-3887
EMERGENCY PHONE NUMBERS					
CHEMTREC:	(In the USA) 800-424-9300 (International) 703-527-3887				

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW:

A clear to hazy, light green near neutral liquid having no characteristic odor. The liquid and mists may be irritating to the eyes and skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation, cardiovascular and central nervous system effects.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – may be harmful if swallowed

PRECAUTIONARY STATEMENT: P312; Call a poison center/doctor/physician if you feel unwell

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Ammonium Nitrate	6484-52-2	Oxidizer; Eye, Skin & Respiratory Irritant; Blood toxin	22 ± 5	None	None	None	None
Urea	57-13-6	Eye Irritant; Slight to Moderate Skin & Respiratory Irritant; Slightly Toxic by Chronic Dermal Contact & Inhalation, with Cardiovascular & Central Nervous System effects.	20 ± 5	None	None	None	None
Dipotassium Phosphate	7758-11-4	Eye, Skin & Respiratory Irritant	5 ± 2	None	None	None	None
Ammonium Sulfate	7783-20-2	Eye, Skin & Respiratory Irritant	3 ± 1	None	None	None	None

NDA = No Data Available N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT:	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method:	This product does not flash.		
Flammable Limits (in air, % by volume)	Lower: Not applicable	Upper: Not applicable	
Autoignition Temperature:	Not Determined		
GENERAL HAZARD:	This product is an aqueous, near neutral, aqueous solution of organic and inorganic compounds with small amounts of mineral salts. The Uniform Fire Code health hazard classification for this product is: Irritant . It may produce hazardous decomposition products.		
FIRE FIGHTING INSTRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO ₂ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.		
FIRE FIGHTING EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
HAZARDOUS COMBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, carbon monoxide, carbon dioxide, phosphorus oxides, nitrogen oxides, sulfur oxides and potassium oxide with trace or ultra-trace toxic oxide amounts, of, iron, manganese, magnesium, calcium, zinc and sodium.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of the liquid using pumps or vacuum truck for disposal in accordance with Federal, State and local regulations. Absorb the remaining liquid using sand, or commercially absorbent material; dispose as Federal, State and local requirements dictate. Flush the spill area with water; collect the rinsates for disposal as the regulations require. Note: This product contains Ammonium Nitrate, an oxidizing fertilizer. Do not allow this concentrated product to dry in contact with combustible organic materials or reducing agents as a reaction may occur, releasing heat and possibly toxic gasses.
RELEASE TO WATER:	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE:	Ambient	STORAGE PRESSURE:	Ambient
GENERAL:	Store in a cool, dry, well-ventilated area, away from incompatible materials and products. Protect eyes, skin and clothing from contact with product. Wear recommended personal protective equipment when handling this product. Avoid breathing vapors or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: Respiratory protection is not normally required. If use produces mists that may cause irritation, a NIOSH approved half mask or full facepiece respirator equipped with a good mist / particulate cartridge or supplied air is recommended. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber, Natural Rubber, or Viton gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear to hazy, light green	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	No characteristic	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1
Molecular Formula:	Mixture	VOC Content:	Nil
Molecular Weight:	Not applicable	% Volatile:	Approximately 47
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.20 - 1.40 @ 20° C.	pH (as is):	4.5 – 5.5
Density (pounds/gallon):	Approximately 10.72	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Oxidizers, reducing agents, caustics & strong alkali, cyanides, sulfides, sulfites, chlorine releasers and readily oxidized materials.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas with toxic oxides of carbon, phosphorus, nitrogen, sulfur and potassium with trace or ultra-trace toxic oxide amounts, of, iron, manganese, magnesium, calcium, zinc and sodium plus irritating smoke.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Ammonium Nitrate</u>	<u>Urea</u>
Eye Contact:	No data available	No data available
Skin Contact:	No data available	No data available
Oral Rat LD₅₀:	2,217 mg/kg	8,471 mg/kg
Dermal Rabbit LD₅₀:	No data available	No data available (Rabbit, Subcutaneous LD ₅₀ : 3 gm/kg)
Inhalation Rat LC₅₀:	No data available	No data available (Rat, Inhalation, Chronic – Multiple Dose, 288 mg/m ³ /17 weeks: Toxic effects: Kidney, Ureter & Bladder)
Human Data:	No data available	Dermal Human Standard Draize Test: 22 mg/3 days; Mild
Other Toxicological Data:	No data available	Rat, Dermal, Chronic – Multiple Dose, 3,024 mg/kg/4 weeks; Toxic effects: Liver – Changes in Liver weight; Endocrine – Oral Rat TD _{Lo} : 821 gm/kg/1 year; Tumorigenic – Neoplastic by RTECS criteria; Blood – Tumors; Blood – Lymphomas
Carcinogenicity:	No data available	Intraplacental Woman TD _{Lo} : 1,400 mg/kg (female 16 Weeks pregnant); Effects on Fertility - Abortion
Teratogenicity:	No data available	Human DNA Inhibition; lymphocyte: 600 mmol/Liter
Mutagenicity:	No data available	None reported
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Blood	Eyes, Skin, Mucous membranes, Lungs, Cardiovascular & Central Nervous Systems
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders	Skin, Respiratory or Cardiac disorders
Components:	<u>Dipotassium Phosphate</u>	<u>Ammonium Sulfate</u>
Eye Contact:	Rabbit: Mild	No data available
Skin Contact:	Rabbit: 300 mg; Mild	No data available
Oral Rat LD₅₀:	Greater than 500 mg/kg	2,840 mg/kg
Dermal Rabbit LD₅₀:	Greater than 300 mg/kg	No data available
Inhalation Rat LC₅₀:	No data available	No data available
Human Data:	No data available	Oral Man TD _{Lo} : 1,500 mg/kg (Gastrointestinal effects)
Other Toxicological Data:	No data available	Intraperitoneal Mouse LD ₅₀ : 610 mg/kg
Carcinogenicity:	No data available	No data available
Teratogenicity:	No data available	No data available
Mutagenicity:	No data available	No data available
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin & Mucous membranes	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders	Skin or Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and is not expected to affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not DOT Regulated (United States)

Hazard Class: Not applicable **UN Number:** N/A **Packing Group:** N/A

Primary Label: None Required **Subsidiary Label(s):** None Required

Primary/Subsidiary Placards: None Required

DOT Reportable Quantity (RQ): Not listed **RQ for Product:** Not applicable

Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: Not applicable

TDG PROPER SHIPPING NAME: NOT RESTRICTED

Hazard Class: Not applicable **UN Number:** N/A **Packing Group:** N/A

Primary Label: None Required **Subsidiary Label(s):** None Required

Primary/Subsidiary Placards: None Required

TDG Reportable Quantity (RQ): * Not applicable

TDG Schedule XII: Not applicable

Regulated Limit (RL): ** Not listed **RL for Product:** Not applicable

Other Shipping Information: None

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS:	<u>Ammonium Nitrate</u>	<u>Urea</u>	<u>Dipotassium Phosphate</u>	<u>Ammonium Sulfate</u>
<u>OSHA Target Organs:</u>	Eyes, Skin, Mucous membranes, Lungs & Blood	Eyes, Skin, Mucous membranes, Lungs, Cardiovascular & Central Nervous Systems	Eyes, Skin & Mucous membranes	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System
<u>Carcinogenic Potential:</u>				
Regulated by OSHA:	No	No	No	No
Listed on NTP Report:	No	No	No	No
Listed by IARC:	No	No	No	No
IARC Group:	Not applicable	Not applicable	Not listed	Not applicable
ACGIH Appendix A:	Not listed	Not listed	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable	Not applicable	Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance:	Not listed	Not listed	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable
Category:	Not applicable	Not applicable	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable	Not applicable	Not applicable
Unlisted Substance:	Not applicable	Not applicable	Not applicable	Not applicable
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable
Characteristic:	Not applicable	Not applicable	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: REGULATORY INFORMATION (Continued from Page 5)

COMPONENTS:	<u>Ammonium Nitrate</u>	<u>Urea</u>	<u>Dipotassium Phosphate</u>	<u>Ammonium Sulfate</u>	
SARA TITLE III					
Section 302 & 303 (40 CFR 355):					
Listed Substance:	Not listed	Not listed	Not listed	Not listed	
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable	
Planning Threshold:	Not applicable	Not applicable	Not applicable	Not applicable	
Section 311 & 312 (40 CFR 370):					
Hazard Categories (product):	Fire: <u>N</u>	Sudden Release of Pressure: <u>N</u>	Reactive: <u>N</u>	Acute Health: <u>Y</u>	Chronic Health: <u>N</u>
Planning threshold:	10,000 pounds	10,000 pounds	10,000 pounds	10,000 pounds	10,000 pounds
Section 313 (40 CFR 372):					
Listed Toxic Chemical:	Yes (Aqua Ammonia & Nitrate compounds)	Not listed	Not listed	Yes (Aqua Ammonia)	
Reporting Threshold:	10,000 pounds	Not applicable	Not applicable	10,000 pounds	

U.S. TSCA Status

Listed (40 CFR 710):	Yes	Yes	Yes	Yes
-----------------------------	-----	-----	-----	-----

State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen:	No	No	No	No
Reproductive Toxin:	No	No	No	No

Other Regulations

State Right To Know Laws:	NJ
----------------------------------	----

Canadian Regulations

Product Information:

Controlled Product:	Yes
WHMIS Hazard Symbols:	Material Causing Other Toxic Effects
WHMIS Class & Division:	D.2B

Ingredient Information:

IDL Substance:	No	No	No	No
DSL or NDSL Lists:	DSL	DSL	DSL	DSL

SECTION 16: OTHER INFORMATION

EPA Registration number: Not applicable

Approved Product Uses: Used as part of a plant nutrition program.

Special Notes:

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

Special Instructions: Store Nutriplex in a cool, dry, well ventilated, area away from incompatible materials and products. When making dilutions, always add this product to water, or aqueous solutions, with adequate mixing to ensure a uniform solution. Do not add strong alkali or caustics to this product, as that will liberate toxic, corrosive Ammonia gas. Do not let spills of this product dry on any combustible surface, as this product contains an oxidizer, which may start a fire. Always clean up spills promptly.

SDS Revision Information: **Revision Date:** 04/21/2026

SDS Distributed by: Huma Inc., Inc.

Prepared By:	Frank S. Pidgeon, EHS Director	Date Prepared:	January 2 nd 2014
--------------	--------------------------------	----------------	------------------------------

This Material Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Huma Inc. assumes legal liability. While Huma Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.