

INSTRUCTIONS

PREPARATION: Mix well before use. This product will separate. Constant tank agitation is required to ensure a homogenous tank mixture. This product mixes readily and can be applied in combination with compatible plant growth regulators, chemical pesticides and liquid fertilizers as a tank mix or in a rotation program. To prepare the spray mixture, fill the mix or spray tank with three-fourths of the required amount then add the proper amount of PROUD 4™. Complete filling the mix or spray tank with the balance of water needed. Mix well, continually stirring. Determine compatibility prior to mixing by performing a jar test using appropriate quantities of each material and water.

APPLICATION: Apply using properly maintained and calibrated equipment capable of delivering the desired volumes. As this product functions mostly on contact, thorough coverage is essential for optimum performance.

FOLIAR- A broad-spectrum insecticide, miticide, and fungicide with on-contact and some local systemic activity. It controls pests such as thrips, whiteflies, mites and leafhoppers, and diseases such as Botrytis gray mold, powdery mildew, and Phytophthora late blight.

SOIL- A protective and curative soil fungicide and nematocidal recommended for control of soil-borne diseases and plant parasitic nematodes that controls by contact. Best results are achieved when used in a preventive program following recommended rates and application directions.

CONSULT: Consult your local Huma® Representative or qualified individual/institution for use-specific recommendations.

STORAGE & DISPOSAL: Store in a cool, dry, well-ventilated area, away from incompatible materials and products. If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

DISCLAIMER: This product has not been registered by the U.S. Environmental Protection Agency. Huma™, Inc. represents that this product is NOP compliant and qualifies for exemption from registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant conditions, and other factors are beyond the control of the seller.

Safe for all plants when used as directed. For use on all food or nonfood crops. **PREHARVEST INTERVAL:** May be applied at any time up to and including the day of harvest with zero re-entry restrictions. PROUD 4™ has limited residual control. Repeat treatments will be necessary if a problem persists. Repeat application every 5 to 20 days as needed or to maintain the desired level of control.

ACTIVE INGREDIENTS

Thyme Oil.....	5.500%
Clove Oil.....	1.000%
Garlic Oil.....	0.300%
Cinnamon Oil.....	0.025%
Rosemary Oil.....	0.025%

INERT INGREDIENTS

Water, Vinegar, Molasses, Glycerin, Citric Acid, Magnesium Sulfate Heptahydrate, Potassium Humate, Sodium Chloride.....	93.150%
Total Ingredients.....	100.00%

Carefully read, understand & follow label directions. SHAKE WELL BEFORE USE

FOLIAR: Apply to both sides of foliage using sufficient water for uniform coverage without runoff. Apply early morning or late afternoon. Do not apply during rainy or windy conditions or to water-stressed plants. Use higher rates for heavier infestations. Repeat every 5-7 days as needed.

QUANTITY / ACRE		QUANTITY / HECTARE	
PROUD 4™	WATER	PROUD 4™	WATER
0.5-1 qt	15-25 gal	1.25-2.5 L	125-250 L
1-2 qts	25-50 gal	2.5-5 L	250-500 L
2-4 qts	50-100 gal	5-10 L	500-1,000 L
4-8 qts	100-200 gal	10-20 L	1,000-2,000 L

SOIL: Incorporate into soil by drench, mechanical incorporation, or in-furrow application followed by irrigation. Use higher rates on heavy soils, in fields with a history of disease, or when conditions favor rapid disease or nematode development. **General application to soil through drip, center pivot, boom sprayer, drench, or other fertigation:**

INITIAL	1-2 gal/ac	3-6 oz/1000 ft ²	10-20 L/ha	105-210 mL/100 m ²
SUSTAINING	0.5-1.0 gal/ac	2-3 oz/1000 ft ²	5-10 L/ha	70-105 mL/100 m ²

PRODUCT CHARACTERISTICS: A hazy to opaque, brown liquid having a unique characteristic odor. The color, pH, specific gravity, as well as the smell, can vary. Variations may occur due to changes in temperature, atmospheric pressure, weather conditions, and/or exposure to light from when the product leaves the factory until it reaches the final consumer.

8.546 lb per gallon @ 68°F.
1.024 kg per liter @ 20°C.
pH 3.0-4.0

2.5 gallons • Net Wt. 21.365 lb
9.46 liters • Net Wt. 9.69 kg
Lot No. 12345678

SAFETY

KEEP OUT OF REACH OF CHILDREN

SAFETY: To protect eyes and skin from contact with this product, applicators and other handlers must wear a long-sleeved shirt, long pants, shoes and socks, protective eyewear, and chemical resistant gloves made of neoprene, nitrile, or natural rubber. Avoid breathing vapors, aerosols, or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly with soap and water after handling this product.

Exposure to this product's mists or liquid may cause severe irritation to the eyes and may cause irritation to the skin and respiratory tract, especially on prolonged exposure. This product can be toxic upon ingestion.

SIGNAL WORD: WARNING

HAZARD STATEMENT: Causes mild skin irritation. May be harmful if swallowed.

PRECAUTIONARY STATEMENT: If skin irritation occurs or if swallowed get emergency medical help.

FIRST AID MEASURES:

INHALATION: If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.

EYE CONTACT: In case of contact, remove contact lenses, if worn, and immediately flush eyes with plenty of clean running water for at least 15 minutes. Get medical attention as soon as possible.

SKIN CONTACT: In case of contact, immediately flush skin with plenty of clean running water for at least 15 minutes, while removing contaminated clothing and shoes. If burn or irritation occurs, call a physician.

INGESTION: If swallowed, DO NOT induce vomiting. Get medical attention immediately. If the victim is fully conscious, give plenty of water to drink. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIANS: Aspiration hazard. May cause lung injury if ingested while swallowing or vomiting. Stomach or esophageal irritation, possibly severe, may occur. Consider careful endoscopy or gastric lavage with an endotracheal tube. Treat exposure symptomatically.



Guaranteed by Huma, Inc.

1331 W. Houston Ave., Gilbert, AZ 85233
480.961.1220 ©2026

LS#1305
F03537

Pub. No. HPGS-811-26-0608